



Free Questions for *CPC* by *dumpshq*

Shared by *Wells* on *15-04-2024*

For More Free Questions and Preparation Resources

Check the Links on Last Page

Question 1

Question Type: MultipleChoice

A complete cardiac MRI for morphology and function without contrast, followed by contrast with four additional sequences and stress imaging, is performed on a patient with systolic left ventricular congestive heart failure and premature ventricular contractions.

What CPT and ICD-10-CM codes are reported?

Options:

A- 75557, 75559, I50.1, I49.1

B- 75561, 75563, I50.1, I49.1

C- 75563, I50.20, I49.3

D- 75559, I50.20, I49.3

Answer:

C

Question 2

Question Type: MultipleChoice

The procedure is performed at an outpatient radiology department. From a left femoral access, the catheter is placed in the abdominal aorta and is then selectively placed in the celiac trunk and manipulated up into the common hepatic artery for an abdominal angiography. Dye is injected, and imaging is obtained. The provider performs the supervision and interpretation.

What CPT codes are reported?

Options:

A- 36246, 75716-26

B- 36246, 75726-26

C- 36246, 75635-26

D- 36246, 75741-26

Answer:

B

Question 3

Question Type: MultipleChoice

A 55-year-old patient with suspected liver cancer was seen by the physician to obtain a biopsy. The special biopsy needle was placed using ultrasonic guidance. The physician obtained a small tissue sample from the liver, which was then sent to pathology.

What CPT codes are reported?

Options:

A- 47000, 77002-26

B- 47000, 10005

C- 47100, 77012-26

D- 47000, 76942-26

Answer:

D

Question 4

Question Type: MultipleChoice

A patient with a history of chronic venous embolism in the inferior vena cava has a radiographic study to visualize any abnormalities. In outpatient surgery the physician accesses the subclavian vein and the catheter is advanced to the inferior vena cava for injection and imaging. The supervision and interpretation of the images is performed by the physician.

What codes are reported for this procedure?

Options:

A- 36000, 75825-26

B- 36010, 75827-26

C- 36010, 75825-26

D- 36000, 75827-26

Answer:

C

Question 5

Question Type: MultipleChoice

Mr. Roland has difficulty breathing and congestion with a productive cough. The physician takes frontal and lateral view chest X-rays in the office (the equipment is owned by the physician group). The physician reads the X-rays and determines a diagnosis of walking pneumonia. The physician's interpretation is placed in the patient's chart.

How does the physician bill for the chest X-ray?

Options:

A- 71046-26

B- 71046-26-TC

C- 71046-TC

D- 71046

Answer:

A

Question 6

Question Type: MultipleChoice

A diagnostic mammogram is performed on the left and right breasts. Computer-aided detection is also used to further analyze the image for possible lesions.

What CPT coding is reported for this radiology service?

Options:

A- 77065-LT, 77065-RT

B- 77066

C- 77067-50

D- 77066-50

Answer:

B

Question 7

Question Type: MultipleChoice

A 47-year-old female presents to the operating room for a partial corpectomy on one upper thoracic vertebral body, T3. Two surgeons are performing the surgery. One surgeon performs the transthoracic approach and excises the damaged portion of the vertebral body. The second surgeon inserts a bone graft into the vertebral gap, closing the gap, and inserts a metal plate. Both surgeons work together, each as a primary surgeon.

How does each surgeon report their portion of the surgery?

Options:

A- 63090-66, 63091-66

B- 63087-62, 63088-62

C- 63090-80, 63091-80

D- 63085-62, 63086-62

Answer:

D

Question 8

Question Type: MultipleChoice

Patient has cervical spondylosis with myelopathy. The surgeon performed a bilateral posterior laminectomy with facetectomies at each level and foraminotomies performed between interspaces C5-C6 and C6-C7. Bilateral decompression of the nerve roots is achieved.

What CPT coding is reported?

Options:

A- 63045, 63048

B- 63040-50, 63043, 63043

C- 63050-50

D- 63015

Answer:

A

Question 9

Question Type: MultipleChoice

A patient has chronic cholesteatoma in the right middle ear. The otolaryngologist performed a tympanoplasty with a radical mastoidectomy, removing the middle ear cholesteatoma. Grafting technique was used to repair the eardrum without ossicular chain reconstruction.

What CPT code is reported for this surgery?

Options:

A- 69645

B- 69641

C- 69642

D- 69643

Answer:

B

To Get Premium Files for CPC Visit

<https://www.p2pexams.com/products/cpc>

For More Free Questions Visit

<https://www.p2pexams.com/aapc/pdf/cpc>

