

# **Free Questions for 020-222 by braindumpscollection**

## Shared by Forbes on 15-04-2024

**For More Free Questions and Preparation Resources** 

**Check the Links on Last Page** 

### **Question 1**

#### **Question Type:** MultipleChoice

Safety procedures for clinical staff help protect them from

#### **Options:**

A- Bloodborne pathogens.

B- Theft.

C- Violent patients.

D- Work-related injuries.

#### Answer:

А

### **Question 2**

**Question Type:** MultipleChoice

Which of the following actions involving termination of exercise testing is correct?

#### **Options:**

- A- Immediately terminate the test if muscular fatigue occurs.
- B- Initiate the test termination process when cardiac complications occur.
- C- Initiate the test termination process when intermittent premature ventricular contractions are detected on ECG.
- D- Immediately terminate the test when intermittent premature ventricular contractions are detected on ECG.

#### Answer:

С

### **Question 3**

**Question Type:** MultipleChoice

Which of the following is NOT considered to be a benefit of follow- up in an emergency situation?

#### **Options:**

A- It provides information regarding the patient's current status, which may help to determine the cause of the emergency.

B- It provides statistics that will help to justify the emergency response program.

- C- It allows the staff to finalize the incident report.
- D- It provides information to determine the consequences of the staff's actions.

Answer:		
В		

### **Question 4**

**Question Type:** MultipleChoice

The clinical exercise physiologist shares a responsibility to

#### **Options:**

A- Implement measures to stop disease.

- B- Make patients look healthy.
- C- Implement preventive measures to reduce the risk of medical emergencies.
- **D** Develop a plan to reduce the physical demands of exercise testing.

#### Answer:

#### С

### **Question 5**

#### **Question Type:** MultipleChoice

A client who has a measured FVC of 3.5 Land can expel 3.1 L within 1 second has

#### **Options:**

- A- An obstructive defect.
- B- A reshictive defect.
- C- An FEV of 3.1.
- D- An FEV of 89%.

D

### **Question 6**

#### **Question Type:** MultipleChoice

For a client who has a contraindication to exercise testing but could benefit greatly from the information gained through testing, which of the following statements is TRUE?

#### **Options:**

- A- The contraindication is considered to be a relative contraindication.
- **B-** The contraindication is considered to be an absolute contraindication.
- **C-** The client should not be tested until the contraindication is resolved.
- **D-** A submaximal test is the only test that the client should complete.

#### Answer:

A

### **Question 7**

#### **Question Type:** MultipleChoice

Following termination of a stress test, a 12-lead ECG is

#### **Options:**

A- Monitored immediately, then every 1 to 2 minutes until exercise-induced changes are at baseline.

B- Monitored immediately, then at 2 and ,5 minutes after the test.

- C- Monitored immediately only.
- **D-** Monitored and recorded only if any signs or symptoms arise during recovery.

#### Answer:

А

### **To Get Premium Files for 020-222 Visit**

https://www.p2pexams.com/products/020-222

For More Free Questions Visit

https://www.p2pexams.com/acsm/pdf/020-222

