



Free Questions for 050-733 by actualtestdumps

Shared by Davenport on 15-04-2024

For More Free Questions and Preparation Resources

Check the Links on Last Page

Question 1

Question Type: MultipleChoice

When you connect to an ssh server with your ssh client, the public key of the server is compared to the keys stored in a file on the client computer.

Which file is this?

Options:

- A- ~/.ssh/known_hosts
- B- ~/.ssh/id_rsa.pub
- C- ~/.ssh/authorized_keys
- D- ~/.ssh/id_dsa.pub

Answer:

A

Question 2

Question Type: MultipleChoice

You want to use the ip command to set a new address for your network device eth0. It is a Standard class C network. The broadcast address and network route should be set accordingly.

Which command is correct?

Options:

- A- ip address add 192.168.0.10/24 dev eth0
- B- ip addr add eth0 192.168.0.10/24 eth0 broadcast 192.168.255.255
- C- ip addr add 192.168.0.10/24 dev eth0 brd
- D- ip address set 192.168.0.10/24 dev eth0

Answer:

A

Question 3

Question Type: MultipleChoice

Routes to the directly connected network are automatically set up when a device is started.

All other routes are saved in which configuration file?

Options:

A- /etc/route

B- /etc/routes

C- /etc/sysconfig/routes

D- /etc/routes.conf

E- /etc/sysconfig/network/routes

F- /etc/network/routes

Answer:

E

Question 4

Question Type: MultipleChoice

You have set the following permissions on a test directory `rxwxrwx`.

Which statement about files in the test directory is correct?

Options:

- A-** A file created in that directory has the same owning group as the owning group of the test directory.
- B-** Only root or the owner of the file can delete files in the test directory.
- C-** A file created in that directory has the same owner as the owner of the test directory.
- D-** Only root can delete files in the test directory.

Answer:

C

Question 5

Question Type: MultipleChoice

How do you start q YaST module (for instance, the `sw_single` module used to install software) directly from the

command line? (Choose two.)

Options:

- A- yast2 -m sw_single
- B- yast sw_single
- C- yast --start sw_single
- D- yast2 --module sw_single
- E- yast2 sw_single

Answer:

B, E

Question 6

Question Type: MultipleChoice

You want to redirect the output of the ls command to the ls-output file which already exists. The output should be appended to the file, it should not overwrite the existing content.

Which command accomplishes this task?

Options:

- A- ls >> ls-output
- B- ls ; ls-output
- C- ls && ls-output
- D- ls > ls-output

Answer:

A

Question 7

Question Type: MultipleChoice

Which range of User IDs is used *or normal (unprivileged) users on SUSE Linux Enterprise Server?

Options:

A- 0-100

B- 101-499

C- 500-999

D- 1000 and above

Answer:

D

To Get Premium Files for 050-733 Visit

<https://www.p2pexams.com/products/050-733>

For More Free Questions Visit

<https://www.p2pexams.com/micro-focus/pdf/050-733>

