



Free Questions for 300-920 by actualtestdumps

Shared by Cummings on 15-04-2024

For More Free Questions and Preparation Resources

Check the Links on Last Page

Question 1

Question Type: DragDrop

Drag and drop the code to create a valid Guest Issuer JWT token to use with the Webex Teams Browser SDK. Not all options are used.

```
const jwt = require('jsonwebtoken')
let token = jwt.sign(
  {
    'sub': ,
    'name': ,
    'ss': ,
  },
  Buffer.from(, 'base64'),
  { expressIn:  }
)
```

<https://developer.webex.com/docs/guest-issuer>

Answer:

Explanation:

Question 2

Question Type: Multiple Choice

<code>'Identifier'</code>	<code>'Guest Application Identifier'</code>
<code>'Guest User Key'</code>	<code>'Guest User Key'</code>
<code>'User Identifier'</code>	<code>'User Identifier'</code>

Refer to the exhibit.

UI Extensions configuration – Edited



Properties

Widget id

volume_slider



4



Settings +

Volume

Import from file...

Create new macro

exam

ultrasound

```
1  const xapi = require('xapi');
2
3  xapi.on('ready', () => {
4    console.log('macro started');
5
6    xapi.status.get("Auto Volume").then((volume) => {
7      xapi.command('UserInterface Extensions widget SetValue', {
8        WidgetId: 'volume_slider',
9        Value: volume * 255 / 100
10     });
11   });
12
13  xapi.event.on('UserInterface Extensions Widget Action', (event) => {
14    if ((event.WidgetId == 'volume_slider') && (event.Type == 'released')) {
15      const volume = Math.round(parseInt(event.Value) * 100/255);
16      xapi.command('Auto Volume Set', {Level: volume});
17      return;
18    }
19  });
20 }
```

Severity ▾

Enter filter

Show history

18:42:36 exam > 'macro started'

```
18:42:36 exam > 'Unhandled precise rejection' (code: 0,
  message: 'Unknown widget:\ 'volume_slider\'',
  data: {status: 'Error', Reason: 'Unknown widget:\ 'volume_slider\''})
```

A macro and a UI extension (also called In-Room Control) are being developed. What is the reason for the error displayed in the console?

Options:

- A- Widgets of type "Slider" are not supported on the device.
- B- The UI extension was not exported to the device.
- C- The name of the widget in the macro and the UI extension must match.
- D- Promises are not supported for this device.

Answer:

B

Explanation:

<https://www.cisco.com/c/dam/en/us/td/docs/telepresence/endpoint/ce99/webex-board-administrator-guide-ce99.pdf>

Question 3

Question Type: MultipleChoice

Which two filters are valid for limiting a webhook? (Choose two.)

Options:

- A- roomId=<roomId>
- B- personId!=
- C- spaceId=<spaceId>
- D- personId=\$spaceId=<spaceId>
- E- personId=\$roomId=<roomId>

Answer:

A, B

Explanation:

<https://developer.webex.com/docs/api/guides/webhooks>

Question 4

Question Type: DragDrop

Drag and drop the code to complete the JavaScript to display the first URL from a user's list of Webex Meetings recordings. Not all options are used.

```
const init = { ,
```

Answer:

```
body: '<message xmlns:xsi= "http://www.v3.org/2001/XMLSchema-instance">
```

```
<header><securityContext>
  <siteName>apidemoeu</siteName>
  <webExID>alice</webExID>
  <sessionTicket>AAABb6CkTRgAABUYARZAD2X0FMR09SSVRITV8=</sessionTicket>
</securityContext></header>
<body>
```

Question 5

Question Type: Multiple Choice

```
<bodyContent xsi:type="  ">
```

Which element is needed to build a Web application that authenticates Webex users and can post messages under the user's identity?

```
<createTimeScope>
  <createTimeStart>11/21/2019 00:00:00</createTimeStart>
  <createTimeEnd>11/21/2019 23:59:59</createTimeEnd>
</createTimeScope>
</bodyContent></body></message> };
fetch('  ',init)
```

Options:

- A- OAuth integration configured with the 'messages_write' scope
- B- bot access token
- C- Guest Issuer application
- D- self-signed certificate that is created from a public authority

http://www.webex.com/schemas/2002/06/service/meeting	ww.webex.com/schemas/service/meeting
--	--------------------------------------

Answer:

```
A method: 'POST' method: 'POST'
```

```
java:com.webex.service.binding.webex.service.binding.ep.LstRecording recording
```

```
java:com.webex.service.binding.webex.service.binding.meeting.Recordings Recordings
```

Explanation:

<https://developer.webex.com/blog/real-world-walkthrough-of-building-an-oauth-webex-integration>

Question 6

Question Type: MultipleChoice

Refer to the exhibit.


```
xcommand UserInterface Extensions List
OK
*r ExtensionsListResult (status=OK):
*r ExtensionsListResult Extensions Version: "1.5"
*r ExtensionsListResult Extensions Panel 1 Icon: Lightbulb
*r ExtensionsListResult Extensions Panel 1 Type: Statusbar
*r ExtensionsListResult Extensions Panel 1 Name: Panel
*r ExtensionsListResult Extensions Panel 1 PanelId: "panel_1"
*r ExtensionsListResult Extensions Panel 1 Order: 1
*r ExtensionsListResult Extensions Panel 1 Page 1 Name: "Page"
*r ExtensionsListResult Extensions Panel 1 Page 1 Row 1 Name: "Row"
*r ExtensionsListResult Extensions Panel 1 Page 1 Row 1 Widget 1 WidgetId: "widget_1"
*r ExtensionsListResult Extensions Panel 1 Page 1 Row 1 Widget 1 Type: Slider
*r ExtensionsListResult Extensions Panel 1 Page 1 Row 1 Widget 1 Options: "size=3"
** end
--
```

With this in-room configuration, which command successfully sets the slider to 50?

Options:

A- xcommand UserInterface Extensions Widget SetSlider Value: 50

B- xcommand UserInterface Extensions Widget Slider: 50 Widget: "widget_1"

C- xconfiguration UserInterface Extensions widget_1 50

D- xcommand UserInterface Extensions Widget SetValue WidgetId: "widget_1" Value: 50

Answer:

A

Explanation:

<https://www.cisco.com/c/dam/en/us/td/docs/telepresence/endpoint/ce98/sx-mx-dx-room-kit-boards-customization-guide-ce98.pdf>

Question 7

Question Type: DragDrop

Drag and drop the expressions from the right onto the Webex JavaScript SDK code on the left to create a Webex Teams space, add a person to the space, and send a welcome message. Not all expressions are used.

```
const Webex = require('webex');
const webex = Webex.init({
  credentials: {
    answer: access_token: 'process.env.webextoken'
```

memberships

```
teams [ ] .create({title: 'Q3 Budget Planning'})
```

Question 8

```
rooms.on(x) {
  return webex.messages [ ] .create({
```

Question Type: Multiple Choice

```
email: 'jle@devnet.io',
  X [ ] Id: [ ] id
```

With CE 9.8 and above, which two statements are correct when an application is sending and receiving data over a connection established with an xAPI interface? (Choose two.)

```
.then(function(y) {
  webex. [ ] .create({
    text: 'You've been assigned a new task!',
    roomId: y.roomId
  });
```

Options:

- A- All Serial, SSH, and WebSockets can be used to send and receive data.
- B- HttpClient can be used to send requests but not receive responses.
- C- HttpFeedback is the only option to receive data.
- D- The HttpClient command can be used to send requests and read responses over HTTP.
- E- WebSockets is the only option to send and receive data.

memberships

teams

rooms

messages

X

Answer:

B, D

Explanation:

<https://www.cisco.com/c/dam/en/us/td/docs/telepresence/endpoint/ce98/sx-mx-dx-room-kit-boards-customization-guide-ce98.pdf>

Question 9

Question Type: MultipleChoice

Which two statements about Webex Teams refresh tokens are true? (Choose two.)

Options:

- A-** The refresh token is useless without the client ID and client secret.
- B-** An attacker can use the refresh token to send messages on behalf of the user.
- C-** The refresh token is used to generate a new access token.

D- A new refresh token cannot be granted until the client ID is invalidated.

E- The refresh token does not expire.

Answer:

B, C

Explanation:

<https://auth0.com/learn/refresh-tokens/>

Question 10

Question Type: MultipleChoice

Which two capabilities are currently supported by the Webex Meetings XML API? (Choose two.)

Options:

- A- Request a recording link for playback.
- B- Send a text message to the meeting host.
- C- Request permissions to schedule on someone else's behalf.
- D- Schedule a new meeting.
- E- Send a problem report.

Answer:

C, D

Explanation:

<https://community.cisco.com/t5/cloud-collaboration/api-for-scheduling-a-webex-meeting-on-behalf-of-other-user/td-p/3472319>

Question 11

Question Type: DragDrop

Drag and drop the code to complete the JavaScript code snippet to create a meeting using the Webex Meetings XML API. Options may be used more than once.


```
<script>
  const init = {
    method: 'POST'
```

body: <message xmlns:xsi= "http://www.w3.org/2001/XMLSchema-instance">

```
<header><securityContext>
  <siteName>apidemoeu</siteName>
  <webExID>alice</webExID>
```

<[redacted]>AAABb6FFuSBR19BRERJTkdfU0hBMjU2X0FMR09SSVRITV8=

```
</[redacted]>
```

```
</securityContext></header>
```

```
<body>
```

```
<bodyContent xsi:type="*ava:com.webex.service.binding.meeting.CreateMeeting">
```

Which xAPI access mechanism requires separate connections for commands and notifications?

```
<accessControl><[redacted]>Cisco1234</[redacted]>
```

```
</accessControl>
```

```
<metaData><confName>Sample Meeting</confName>
```

```
<meetingType>105</meetingType></metaData>
```

Options:

A- Serial <schedule><startDate> [redacted] </startDate></schedule>

B- WebSocket

C- HTTP/HTTPS

D- SSH

```
https://api.webex.com/WBXService/XMLService', init)
.then(response => response.text())
```

```
.then(str => (new window.DOMParser()).parseFromString(str, '[redacted]'))
```

```
.then(data => document.write(data.getElementsByTagName('*')[0].textContent))
```

```
[0].textContent))
```

```
</script>
```

Answer:

D application/json

application/json

1/13/2020 16:00:00

1/13/2020 16:00:00

sessionTicket

sessionTicket

status PM

status

Explanation:

<https://github.com/CiscoDevNet/labs-xapi/blob/master/labs/collab-xapi-intro/5.md>

To Get Premium Files for 300-920 Visit

<https://www.p2pexams.com/products/300-920>

For More Free Questions Visit

<https://www.p2pexams.com/cisco/pdf/300-920>

