

Free Questions for 4A0-M03 by actualtestdumps

Shared by Farley on 12-12-2023

For More Free Questions and Preparation Resources

Check the Links on Last Page

Question 1

Question Type: MultipleChoice

Which of the following functions is NOT performed by MME when it receives a TAU from a UE?

Options:

- A- Perform message integrity check
- B- Inform HSS of the UE's current location
- C- Check if UE requests access to a restricted tracking area
- D- Send paging message to a list of SGWs belonging to UE's registered tracking area


Answer:

D

Question 2


Question Type: MultipleChoice

Given the exhibit, which component initiated a mobile-terminated location request (MT-LR) procedure for external LCS client?



Options:
A- MME
B- GMLC
C- E-SMLC
D- HSS
Answer:
D
Explanation:
https://www.google.com/url?
sa=t&rct=j&q=&esrc=s&source=web&cd=&ved=2ahUKEwiEuu_cmrnsAhXiD2MBHQUND3AQFjAAegQIBhAC&url=ftp%3A%2F%2Fwww.3gpp.
2Fupgrade%2F32271-900.doc&usg=AOvVaw1w-IpeUNE8VTNAgojrdFa4
Question 3
Question Type: MultipleChoice

Given the exhibit, which type of message is sent from the MME to the lawful enforcement monitoring facility (LEMF) for lawful interception support?



Options:

- A- Intercept request message
- **B-** Location request message
- C- Content of communication (CC) message

interespersated information (ii	RI) message
Answer:	
С	
Question 4	
uestion Type: MultipleChoice	
What network component(s) is/are	e shared in the gateway core network (GWCN) sharing architecture model?
, , ,	
Options:	
A- Only E-UTRAN is shared	
B- Only MME is shared	
- only mine to onlared	
C- E-UTRAN and MME are share	;d
	ed .
C- E-UTRAN and MME are share	ed
C- E-UTRAN and MME are share	ed

Question 5

Question Type: MultipleChoice

Which of the following regarding PM is FALSE?

Options:

- A- PM counters contain system health information on a specific VM.
- **B-** PM counters are stored in XML format.
- C- PM counters are collected on a per-interval basis.
- **D-** A PM job is defined to collect PM counters.

Answer:

D

Question 6

Question T	ype:	Multip	oleChoice
-------------------	------	--------	-----------

Which of the following is NOT performed by the MME during S1-based handover procedure?

Options:

- A- MME determines if SGW relocation is required.
- B- MME selects the target eNodeB for handover.
- C- MME releases bearers that are not accepted by the target eNodeB.
- D- MME checks if the handover is to restricted area based on the handover restriction list.

Answer:

С

Question 7

Question Type: MultipleChoice

Which of the following messages are exchanged between the MME and the SGW during the UE-initiated detach procedure?

	4.5			
()	ntı	\mathbf{O}	16.	
V	pti	VI	13.	

- A- Detach Request / Detach Accept
- B- Delete Session Request / Delete Session Response
- C- S1 Context Release / S1 Context Release Complete
- D- CC-Request / CC-Answer

Answer:

Α

Explanation:

https://www.slideshare.net/tharinduwije/lte-ue-initial-attach-detach-from-networkx

Question 8

Question Type: MultipleChoice

Which of the following messages are exchanged between the MME and the SGW during the dedicated bearer activation procedure?

Options:
A- Attach Request / Attach Accept
B- Create Bearer Request / Create Bearer Response
C- Session Management Request / Session Management Response
D- RA-Request / RA-Answer
Answer:
В
Familianations
Explanation:
https://www.sciencedirect.com/topics/engineering/dedicated-bearer

https://www.sciencedirect.com/topics/engineering/dedicated-bearer

Question 9

Question Type: MultipleChoice

Which of the following is NOT performed by the MME during a TAU procedure?

		4 .				
0	n	ŧ١		n	C	
V	ν	u	v	ш	J	

- A- MME sends paging messages to a list of eNodeBs.
- B- MME informs the HSS about the UE's current location.
- C- MME sends the UE a new TA list containing the new TAIs.
- D- MME determines if SGW relocation is required and selects a new SGW.

Answer:

D

Question 10

Question Type: MultipleChoice

Which of the following is NOT performed by the MME during service request procedure?

Options:

A- MME sends paging messages to a list of eNodeBs.

- B- MME updates the SGW with current eNodeB information.
- C- MME re-establishes S11 bearers for the UE.
- D- MME requests eNodeB to establish radio and S1 bearers for the UE.

Answer:

C

Question 11

Question Type: MultipleChoice

Which of the following statements regarding IMEI checking is FALSE?

Options:

- A- MME requests IMEI from the UE.
- B- MME receives the IMEI status from the HSS given the UE's IMEI.
- **C-** The IMEI status can be whitelisted, blacklisted, or greylisted.
- D- MME decides whether to reject the Attach procedure from UE based on the IMEI status.

Λ	10	01	.,	_	100	
А	П	SI	N	ㄷ	•	

В

To Get Premium Files for 4A0-M03 Visit

https://www.p2pexams.com/products/4a0-m03

For More Free Questions Visit

https://www.p2pexams.com/nokia/pdf/4a0-m03

