

For More Free Questions and Preparation Resources

Check the Links on Last Page



Question 1

Question Type: MultipleChoice

Which of the following methods CANNOT increase account security?

Options:

- A- Strong password policies
- B- Periodically reset the user login passwords
- C- Adhere to the minimum authorization principle
- D- Unite user management, permission management and resource management into a single management process

Answer:

D

Question 2

Question Type: MultipleChoice

Which of the following steps is not a valid step for using anti-DDOS pro?

Options:

- A- configure to be protected domain name
- B- add new DNS record
- C- change source IP
- D- if original server is using its own firewall, then need to add Anti-DDOS pro IP to its white list
- E- bind real customer identity to anti-DDOS pro IP

Answer:

E

Question 3

Question Type: MultipleChoice

Which of the following products won't be a DDOS attack target?

Options:

- A- offline backup tape devices
- B- enterprise major website
- C- router device
- D- online banking system

Answer:

Α



Question 4

Question Type: MultipleChoice

Which Internet protocol is used to implement Linux shell command 'ping'?

Score 2

Options:

- A- ICMP
- B- UDP
- C- PING
- D- TCP



Answer:

Δ

Question 5

Question Type: MultipleChoice

What modes Alibaba Cloud WAF will provide to defend SQL injection? (the number of

correct answers: 2)

Score 1

Options:

- A- Normal Mode
- **B-** Protection Mode
- C- Warning Mode
- D- Restriction Mode

Answer:

B, C

Pap

Question 6

Question Type: MultipleChoice

For internet communication, to setup the connection and data transition between source and destination, which of the following information you will need (the number of correct answers: 3)

Score 1

Options:

- A- IP address
- B- Port
- C- Encryption algorism
- D- Protocol
- E- Router Location



Answer:

A, D

To Get Premium Files for ACA-Sec1 Visit

https://www.p2pexams.com/products/aca-sec1

For More Free Questions Visit

https://www.p2pexams.com/alibaba/pdf/aca-sec1



