



Free Questions for 300-735 by actualtestdumps

Shared by Mcknight on 12-12-2023

For More Free Questions and Preparation Resources

Check the Links on Last Page

Question 1

Question Type: MultipleChoice

Which request searches for a process window in Cisco ThreatGRID that contains the word "secret"?

Options:

- A- /api/v2/search/submissions?term=processwindow&title=secret
- B- /api/v2/search/submissions?term=processwindow&q=secret
- C- /api/v2/search/submissions?term=window&title=secret
- D- /api/v2/search/submissions?term=process&q=secret

Answer:

D

Question 2

Question Type: MultipleChoice

Which snippet describes the way to create an URL object in Cisco FDM using FDM REST APIs with curl?

A)

```
curl -X POST --header 'Content-Type: application/json' \  
--header 'Authorization: Bearer $Token' \  
--header 'Accept: application/json' -d '{ \  
    "id": "bfc6j984-9dcf-11e9-a6b5-617eea9159d3", \  
    "description": "Google URL", \  
    "url": "https://www.google.com", \  
    "type": "urlobject" \  
' 'https://198.18.133.8/api/fdm/v1/object/url'
```

B)

```
curl -X POST --header 'Content-Type: application/json' \  
--header 'Authorization: Bearer $Token' \  
--header 'Accept: application/json' -d '{ \  
    "name": "google_url", \  
    "description": "Google URL", \  
    "url": "https://www.google.com", \  
    "type": "urlobject" \  
' 'https://198.18.133.8/api/fdm/v1/object/urls'
```

C)

```
curl -X POST --header 'Content-Type: application/json' \  
--header 'Authorization: Bearer $Token' \  
--header 'Accept: application/json' -d '{ \  
    "name": "google_url", \  
    "description": "Google URL", \  
    "url": "https://www.google.com", \  
    "type": "networkobject" \  
' 'https://198.18.133.8/api/fdm/v1/object/urls'
```

D)

```
curl -X POST --header 'Content-Type: application/json' \  
--header 'Authorization: Bearer $Token' \  
--header 'Accept: application/json' -d '{ \  
    "id": "bfc6j984-9dcf-11e9-a6b5-617eea9159d3", \  
    "description": "Google URL", \  
    "url": "https://www.google.com", \  
    "type": "urlobject" \  
' 'https://198.18.133.8/api/fdm/v1/object/urlcategories'
```

Options:

- A- Option A
- B- Option B
- C- Option C
- D- Option D

Answer:

B

Question 3

Question Type: MultipleChoice

Which API is used to query if the domain "example.com" has been flagged as malicious by the Cisco Security Labs team?

Options:

- A- <https://s-platform.api.opendns.com/1.0/events?example.com>
- B- <https://investigate.api.umbrella.com/domains/categorization/example.com>
- C- <https://investigate.api.umbrella.com/domains/volume/example.com>
- D- <https://s-platform.api.opendns.com/1.0/domains?example.com>

Answer:

B

Question 4

Question Type: MultipleChoice

Which header set should be sent with all API calls to the Cisco Stealthwatch Cloud API?

- A. Content-Type: application/json
Accept: application/json
Authorization: Bearer <api_key>
- B. Content-Type: application/json
Accept: application/json
Authorization: ApiKey <username>:<api_key>
- C. Content-Type: application/json
Accept: application/json
Authorization: Basic <api_key>
- D. Content-Type: application/json
Accept: application/json
Authorization: <username>:<api_key>

Options:

A- Option A

B- Option B

C- Option C

D- Option D

Answer:

B

Question 5

Question Type: MultipleChoice

Refer to the exhibit.

```
import requests

URL =
'https://sma.cisco.com:6080/sma/api/v2.0/reporting/web_malware_category_malware_name_user_detail/
blocked_malware?startDate=2019-03-14T02:00+00:00&endDate=2019-04-14T01:00+00:00&
filterValue=23&filterBy=na&filterOperator=is&device_type=wsa'

HEADERS = {'Authorization': "Basic Y2hlcGFLYWJSQSZe'"}

response = requests.get(URL, headers=HEADERS)
```

What must be present in a Cisco Web Security Appliance before the script is run?

Options:

A- reporting group with the name web_malware_category_malware_name_user_detail

B- data for specified dates

C- reporting group with the name blocked_malware

D- data in the queried category

Answer:

A

Question 6

Question Type: MultipleChoice

What are two benefits of Ansible when managing security platforms? (Choose two.)

Options:

- A- End users can be identified and tracked across a network.
- B- Network performance issues can be identified and automatically remediated.
- C- Policies can be updated on multiple devices concurrently, which reduces outage windows.
- D- Anomalous network traffic can be detected and correlated.
- E- The time that is needed to deploy a change is reduced, compared to manually applying the change.

Answer:

C, E

Question 7

Question Type: MultipleChoice

Which two statements describe the characteristics of API styles for REST and RPC? (Choose two.)

Options:

- A- REST-based APIs function in a similar way to procedures.
- B- REST-based APIs are used primarily for CRUD operations.

- C-** REST and RPC API styles are the same.
- D-** RPC-based APIs function in a similar way to procedures.
- E-** RPC-based APIs are used primarily for CRUD operations.

Answer:

B, D

Question 8

Question Type: MultipleChoice

Refer to the exhibit.

```
import json
import requests

BASE_URL = "https://investigate.api.umbrella.com"
HEADERS = {"Authorization": "Bearer %YourToken%"}

---MISSING CODE---

request= requests.get(URL, parmas= PARAMS,
verify=False)
```

A network operator must create a Python script that makes an API request to Cisco Umbrella to do a pattern search and return all matched URLs with category information.

Which code completes the script?

Options:

- A- URL = BASE_URL + '/find/exa[a-z]ple.com' PARAMS = { 'categoryinclude' : 'true'}
- B- URL = BASE_URL + '/find/exa[a-z]ple.com' PARAMS = { 'returncategory' : 'true'}
- C- URL = BASE_URL + '/find/exa[a-z]ple.com' PARAMS = { 'includeCategory' : 'true'}
- D- URL = BASE_URL + '/find/exa[a-z]ple.com' PARAMS = { 'returnCategory' : 'true'}

Answer:

D

To Get Premium Files for 300-735 Visit

<https://www.p2pexams.com/products/300-735>

For More Free Questions Visit

<https://www.p2pexams.com/cisco/pdf/300-735>

