



Free Questions for [E_BW4HANA211](#) by [actualtestdumps](#)

Shared by [Charles](#) on [12-12-2023](#)

For More Free Questions and Preparation Resources

[Check the Links on Last Page](#)

Question 1

Question Type: MultipleChoice

What do the Remote Conversion approach and the Shell Conversion approach have in common? Note: There are 3 correct answers to this question.

Options:

- A- Both approaches uninstall the unsupported BW Add-ons from the sending BW system as the first activity
- B- Both approaches convert unsupported object types during import into the new SAP BW/4HANA system
- C- Both approaches result in a SAP BW/4HANA system which has a new system ID
- D- Both approaches require the SAP BW/4HANA Starter Add-on to be installed on the sending system
- E- Both approaches are setup by installing required SAP notes via the SAP BW Notes Analyzer

Answer:

B, C, E

Question 2

Question Type: MultipleChoice

Which features have been removed from SAP BW/4HANA compared to SAP BW powered by SAP HANA? Note: There are 2 correct answers to this question.

Options:

- A- Analysis Process Designer (TC: RSANWB)
- B- Analysis Authorizations (TC: RSECADMIN)
- C- Customer Exit variable using RSR00001 (TC: CMOD)
- D- Modeling option of secondary indices for DataStore objects (advanced)

Answer:

A, C

Question 3

Question Type: MultipleChoice

What is a valid data target in an SAPMHANA Analysis Process without using a Data Trasfer Process?

Options:

- A- DataStore object (advanced)
- B- InfoObject with Attributes
- C- SAP HANA Database Table
- D- CompositeProvider

Answer:

C

Question 4

Question Type: MultipleChoice

What is a valid reason to run the program RODPS_OS_EXPOSE?

Options:

- A- To use an SAP ABAP CDS View for ODP
- B- To have an overview of ODP Consumers of a DataSource
- C- To release a customer developed DataSource for ODP
- D- To investigate extractor logic in an SAP delivered DataSource For ODP

Answer:

C

Question 5

Question Type: MultipleChoice

A customer uses an SAP BW 7.5 system powered by SAP HANA with the SAP BW/4HANA Starter Addon.

The system mode is set to ""B4H mode"". How will the system be affected?

Options:

- A- 3.x Data Flows can still be used if they are registered in the whitelist

- B-** Semantically Partitioned Objects (SPOs) can be maintained with the SAP BW/4HANA Modeling U Tools
- C-** SAP BW/4HANA Modeling Tools are needed to maintain BW Queries
- D-** MultiProviders are automatically converted into CompositeProviders

Answer:

C

Question 6

Question Type: MultipleChoice

You enable a DataStore object (advanced) for reporting by switching on the "External SAP HANA view" flag in the settings.

Which authorizations are used when you consume the generated SAP HANA view directly?

Options:

- A-** The generated analytic privileges in SAP HANA
- B-** The authorizations for the HDI container access in SAP HANA

- C- The combination of the generated analytic privileges in SAP HANA and the analysis authorizations in SAP BW/4HANA
- D- The analysis authorizations in SAP BW/4HANA

Answer:

C

Question 7

Question Type: MultipleChoice

You use an Open Hub Destination to distribute SAP BW/4HANA data to a table managed by an SAP database.

Which technologies can be used? Note: There are 2 correct answers to this question.

Options:

- A- Operational Data Provisioning (ODP)
- B- Database Connection (DBCON)
- C- Smart Data Access (SDA)

D- Remote Function Call (RFC)

Answer:

C, D

Question 8

Question Type: MultipleChoice

From an SAP BW/4HANA perspective, what is the difference between SAP HANA Smart Data Access (SDA) and SAP HANA Smart Data Integration (SDI)? Note: There are 2 correct answers to this question.

Options:

- A-** SDI provides options for data replication in real-time, while SDA does NOT provide this capability.
- B-** SDA is integrates into the SAP HANA Indexserver while you need to setup an additional SAP 1-1 HANA Data Provisioning server for SDI
- C-** SAP BW/4HANA DataSources of source system type 'SAP HANA' can connect to SDA sources, U but NOT to SDI sources.
- D-** SAP BW/4HANA Open ODS View can be modelled on SDI sources, but NOT on SDA sources.

Answer:

B, D

Question 9

Question Type: MultipleChoice

Why do you use the ' "Enhanced Master Data Update"' setting in the definition of an InfoObject? Note: there are 2 correct answers to this question.

Options:

- A- To enable parallel loading
- B- To enable transitive attributes
- C- To enable delta capability
- D- To enable XXL attributes

Answer:

A, C

Question 10

Question Type: MultipleChoice

Which transformation rules do support SAP HANA Runtime? Note: There are 3 correct answers to this question.

Options:

- A- ABAP end routine
- B- SQL procedure in an SAP HANA FlowGraph
- C- ABAP Field routine
- D- SQL script field routine
- E- Lookup from DataStore object (advanced)

Answer:

A, D, E

Question 11

Question Type: MultipleChoice

What is a valid scenario using the External Tier (COLD Store) in the SAP BW/4HANA Data Tiering Optimization (DTO) concept?

Options:

- A-** To move a large amount of historical data needs to be read occasionally in SAP BW Queries
- B-** To improve the query performance of an SAPBW Query for aggregated year-to-date values
- C-** To reduce the TCO bases on the implementation of the Active/ Non-Active Data Concept
- D-** To create an offline archive for transactional data to ensure legal requirements are fulfilled

Answer:

A

To Get Premium Files for E_BW4HANA211 Visit

https://www.p2pexams.com/products/e_bw4hana211

For More Free Questions Visit

<https://www.p2pexams.com/sap/pdf/e-bw4hana211>

