



Free Questions for 202-450 by actualtestdumps

Shared by Foley on 12-12-2023

For More Free Questions and Preparation Resources

Check the Links on Last Page

Question 1

Question Type: MultipleChoice

NO: 99

A BIND server should be upgraded to use TSIG. Which configuration parameters should be added if the server should use the algorithm hmac-md5 and the key skrKc4DoTzi/taklIPi7JZA==?

A

```
TSIG server.example.com. {  
algorithm hmac-md5;  
secret "skrKc4DoTzi/takIlPi7JZA==";  
};
```

B

```
key.server.example.com. {  
algorithm hmac-md5;  
secret skrKc4DoTzi/takIlPi7JZA==;  
};
```

C

```
key.server.example.com. {  
algorithm hmac-md5;  
secret "skrKc4DoTzi/takIlPi7JZA==";  
};
```

D

```
key.server.example.com. {  
algorithm=hmac-md5;  
secret="skrKc4DoTzi/takIlPi7JZA==";  
};
```

E

```
key.server.example.com.  
algorithm hmac-md5  
secret "skrKc4DoTzi/takIlPi7JZA==";
```

Options:

A- Option A

B- Option B

C- Option C

D- Option D

E- Option E

Answer:

C

Question 2

Question Type: MultipleChoice

What is the purpose of DANE?

Options:

- A- Verify the integrity of name information retrieved via DNS.
- B- Allow secure dynamic DNS updates.
- C- Invalidate name information stored on caching name servers to speed up DNS updates.
- D- Discover which servers within a DNS domain offer a specific service.
- E- Provide a way to verify the association of X 509 certificates to DNS host names.

Answer:

E

Question 3

Question Type: FillInTheBlank

According to the configuration below, what is the full e-mail address of the administrator for this domain?

```
$ORIGIN example.com
@ IN SOA mars.example.com pluto.example.com (
    2016073142
    10800
    3600
    604800
    86400 )
```

Answer:

Question 4

Question Type: MultipleChoice

Which of the following DNS record types is used for reverse DNS queries?

Options:

A- CNAME

B- IN

C- PTR

D- REV

E- RIN

Answer:

C

Question 5

Question Type: MultipleChoice

A zone file contains the following lines:

```
$ORIGIN example.com
```

```
host2.example.org. IN A 198.51.100.102
```

and is included in the BIND configuration using this configuration stanza:

```
zone "example.com" {  
    type master;  
    file "db.example.com";  
};
```

Which problem is contained in this configuration?

Options:

- A- The zone statement in the BIND configuration must contain the `cross-zone-data yes;` statement.
- B- The zone cannot contain records for a name which is outside the zone's hierarchy.
- C- The `$ORIGIN` declaration cannot be used in zone files that are included for a specific zone name in the BIND configuration.
- D- An A record cannot contain an IPv4 address because its value is supposed to be a reverse DNS name.
- E- Names of records in a zone file cannot be fully qualified domain names.

Answer:

C

Question 6

Question Type: MultipleChoice

Which rndc sub command can be used in conjunction with the name of a zone in order to make BIND reread the content of the specific zone file without reloading other zones as well?

Options:

- A- lookup
- B- reload
- C- fileupdate
- D- reread
- E- zoneupdate

Answer:

A, C

Question 7

Question Type: MultipleChoice

Which of these tools provides DNS information in the following format?

www.example.com has address 172.25.25.55

www.example.com has address 172.25.25.63

www.example.com has IPv6 address fdb4:8fbc:36e1::101f

Options:

A- dig

B- nslookup

C- host

D- named-checkconf

E- named-checkzone

Answer:

B

Question 8

Question Type: MultipleChoice

Which of the following OpenVPN configuration options makes OpenVPN forward network packets between VPN clients itself instead of passing the packets on to the Linux host which runs the OpenVPN server for further processing?

Options:

- A- inter-client-traffic
- B- client-to-client
- C- client-router
- D- client-pass
- E- grant-client-traffic

Answer:

B

Question 9

Question Type: MultipleChoice

After running ssh-keygen and accepting the default values, which of the following files are changed or created? (Choose two.)

Options:

A- ~/.ssh/id_rsa.key

B- ~/.ssh/id_rsa.pub

C- ~/.ssh/id_rsa.prv

D- ~/.ssh/id_rsa.crt

E- ~/.ssh/id_rsa

Answer:

B, E

Question 10

Question Type: MultipleChoice

Which of the following commands is used to change user passwords in an OpenLDAP directory?

Options:

- A- setent
- B- ldpasswd
- C- olpasswd
- D- ldappasswd
- E- ldapchpw

Answer:

D

Question 11

Question Type: MultipleChoice

A zone file contains the following lines:

```
$ORIGIN example.com  
host2.example.org. IN A 198.51.100.102
```

and is included in the BIND configuration using this configuration stanza:

```
zone "example.com" {  
    type master;  
    file "db.example.com";  
};
```

Which problem is contained in this configuration?

Options:

- A- The zone statement in the BIND configuration must contain the `cross-zone-data yes;` statement.
- B- The zone cannot contain records for a name which is outside the zone's hierarchy.
- C- The `$ORIGIN` declaration cannot be used in zone files that are included for a specific zone name in the BIND configuration.
- D- An A record cannot contain an IPv4 address because its value is supposed to be a reverse DNS name.
- E- Names of records in a zone file cannot be fully qualified domain names.

Answer:

C

Question 12

Question Type: MultipleChoice

What is the name of the Dovecot configuration variable that specifies the location of user mail?

Options:

A- mbox

B- mail_location

C- user_dir

D- maildir

E- user_mail_dir

Answer:

B

To Get Premium Files for 202-450 Visit

<https://www.p2pexams.com/products/202-450>

For More Free Questions Visit

<https://www.p2pexams.com/lpi/pdf/202-450>

