



**Free Questions for 050-11-CARSANWLN01 by  
actualtestdumps**

**Shared by Howard on 12-12-2023**

**For More Free Questions and Preparation Resources**

**Check the Links on Last Page**

## Question 1

---

**Question Type:** MultipleChoice

---

Which output actions are available when creating Reporting Engine alerts'?

### Options:

---

- A- OSX, ODBC, Syslog
- B- ODBC, SQL, Syslog, SMTP, URL, NetworkShare
- C- SNMP, SMTP, Syslog, SFTP, URL, NetworkShare
- D- SNMP, ODBC, Syslog, FTP

### Answer:

---

C

## Question 2

---

**Question Type:** MultipleChoice

---

What are the data sources available in RSA NetWitness when creating a Reporting Engine rule?

**Options:**

---

- A- Short, Long, Truncated
- B- IPDB, ODBC, FileReader
- C- Broker, Concentrator, Decoder
- D- NetWitness DB, Warehouse DB, Respond DB

**Answer:**

---

D

## Question 3

---

**Question Type: MultipleChoice**

---

The types of feeds that you can add to RSA NetWitness are:

**Options:**

---

- A- Public feed, private feed
- B- Custom feed. Live feed
- C- Identity feed, resource feed
- D- Custom feed, identity feed

**Answer:**

---

D

## Question 4

---

**Question Type: MultipleChoice**

---

Which storage options are available for Archiver storage?

**Options:**

---

- A- DAC, SAN. and NAS

- B- NAS and SAN
- C- DAS and NAS
- D- JBOD and DAS

**Answer:**

---

A

## Question 5

---

**Question Type:** MultipleChoice

---

Which RSA NetWitness component captures and parses data off the wire?

**Options:**

---

- A- Packet Decoder
- B- Broker
- C- Concentrator
- D- Log Decoder

**Answer:**

---

A

## Question 6

---

**Question Type: MultipleChoice**

---

Which statement about Health and Wellness Alarm Suppression is false?

**Options:**

---

- A-** Suppression schedules can be defined for individual rules
- B-** Suppression schedules can be defined for entire policies
- C-** Suppression schedules can be applied to out-of-the-box policies
- D-** Multiple suppression schedules can be defined

**Answer:**

---

B

## Question 7

---

**Question Type:** MultipleChoice

---

When NetWitness receives a log from an event source that does not currently exist in the Admin. Event Sources list, what does it do?

### Options:

---

- A- Writes the log to the Archiver but not the Decoder
- B- Parses the log to the Decoder, but in transient mode only
- C- Adds the new Event Source to the existing list of Event Sources
- D- Ignores the log altogether

### Answer:

---

C

## Question 8

---

**Question Type:** MultipleChoice

---

To access device information and perform device operations through RSA NetWitness, a user must be

**Options:**

---

- A- assigned the role of Operator'
- B- a member of a 'DeviceUser' group in Active Directory
- C- a member of a role that has privileges for the device
- D- assigned read/write access to the NetWitness appliance

**Answer:**

---

C

## Question 9

---

**Question Type: MultipleChoice**

---

What are three important things to configure on a Log Decoder'?



**Options:**

---

- A- Capture Auto-Start. Service Parsers, Capture Interface
- B- Capture Settings. Aggregation Auto-Start. Profile settings
- C- Investigation Settings. Capture Settings. Service Parsers
- D- Aggregation Auto-Start. Capture Settings. Investigation Settings

**Answer:**

---

A

## Question 10

---

**Question Type: MultipleChoice**

---

In order to run Reports against data stored on the Archiver you must

**Options:**

---

- A- restore data from cold storage to any hot storage device

- B-** restore the Archiver data to any Concentrator
- C-** add the Archiver to the Reporting Engine's list of configured data sources
- D-** add the Archiver to the Concentrator's list of configured data sources

**Answer:**

---

C

## Question 11

---

**Question Type:** MultipleChoice

---

The accuracy of Automated Threat Detection is enhanced by configuring

**Options:**

---

- A-** Who is Lookup Service
- B-** Incident Rules
- C-** ESA Analytics Mappings
- D-** Context Hub

**Answer:**

---

A

## Question 12

---

**Question Type:** MultipleChoice

---

To use RSA SecurID as an authentication method for administrators, what must be configured?

**Options:**

---

**A-** PAM

**B-** CHAP

**C-** RADIUS

**D-** LDAP

**Answer:**

---

A

**To Get Premium Files for 050-11-CARSANWLN01 Visit**

**<https://www.p2pexams.com/products/050-11-carsanwln01>**

**For More Free Questions Visit**

**<https://www.p2pexams.com/rsa/pdf/050-11-carsanwln01>**

