Question 1

Which two scenarios are invalid for Instant Recovery of a VMware virtual machine? (Choose two.)

Options:

A- The virtual machine is a Windows server.

B- The virtual machine backup is targeted to deduplication disk storage.

C- The Backup Exec server has NFS role installed.

D- An agent-based backup is used to protect the virtual machine.

E- A GRT-enabled virtual backup is used to protect the virtual machine.

Answer:

C, E

Question 2

Which two capabilities are available with Instant Granular Recovery Technology (GRT)? (Choose two.)

Options:

A- Backup sets can be searched for granular data.

B- Backup sets can be dynamically browsed to select individual items.

C- The catalog jobs are run as part of the backup job.

D- The catalog jobs are run immediately after the backup job.

E- Instant GRT can be enabled for tape-based backups.

Answer:

B, C

Question 3

Question Type: MultipleChoice

By default, when does Data Lifecycle Management (DLM) search for expired backup sets to delete from disk-based storage?

Options:

A- every 12 hours

B- every 24 hours

C- every hour

D- every 4 hours

Answer:

C

Question 4

Question Type: **MultipleChoice**

Which setting can be configured to enable a disk storage device to allow five jobs to run simultaneously?

Options:

A- Auto detect block and buffer size

B- Concurrent write operations

C- Auto detect settings

D- Buffer count

Answer:

B

Question 5

Question Type: MultipleChoice

What is the maximum number of days the Job logs, Alert history, Reports, and Audit logs can be retained if the Delete aged data check box is selected?

Options:

A- 30 days

B- 60 days

C- 180 days

D- 999 days

Answer:

D

Question 6

Which two conditions cause Data Discovery to fail to detect remote servers in the same domain as the Backup Exec server? (Choose two.)

Options:

A- The administrator failed to add the default logon account to the local administrators group on the remote servers.

B- The servers have Windows Management Instrumentation (WMI) disabled.

C- The firewall on the remote servers is configured to block WMI traffic.

D- The firewall on the remote servers is configured to block port 10000.

E- The remote servers have an old version of the Backup Exec Agent for Windows installed.

Answer:

B, C

Question 7

Question Type: **MultipleChoice**

An administrator needs to use Backup Exec to protect a VMware environment. The datastore containing the VMware virtual machines is located on SAN disk storage. The Backup Exec server is also connected to the SAN infrastructure. The administrator needs to ensure the backup data only travels over the SAN.

How should the administrator proceed?

Options:

A- enable forced SAN mode on the VMware vCenter server

B- select the NBD transport option in backup properties

C- use the transport mode priority list option to only select SAN transport mode

D- enter the IP Address of the SAN data storage server

Answer:

D

Question 8

Question Type: MultipleChoice

What is the purpose of enabling the Allow Backup Exec to Delete All Expired Backup Sets setting?

Options:

A- It ensures a response to an alert will be required before any backup set is deleted.

B- It ensures Data Lifecycle Management (DLM) is enabled instead of ADAMM.

C- It prevents Backup Exec from keeping the most recent backup set per resource.

D- It causes Backup Exec to immediately delete all expired backup sets and disable the setting.

Answer:

C

Question 9

An administrator is configuring the Amazon S3 cloud-based storage device.

Which two options should the administrator consider to ensure a successful configuration? (Choose two.)

Options:

A- The bucket name should start with lowercase letters.

B- The bucket should be pre-configured before adding a Cloud storage device.

C- The bucket which is in use by different Backup Exec servers can be shared.

D- The bucket can be created in any region the Cloud provider designates.

E- The user must obtain an Amazon access key ID and a secret access key.

Answer:

B, E

Question 10

Which action can an administrator perform during the Backup Exec database maintenance?

Options:

A- apply patches to the database

B- take the database offline

C- delete expired data from the database

D- put the database into single user mode

Answer:

C

Question 11

Question Type: **MultipleChoice**

Where should an administrator set the option to make all new jobs automatically choose a particular disk storage as the target device?

Options:

A- change the storage options in Backup Exec Settings

B- change the storage options in each new job

C- change the storage options in Job Defaults

D- change the storage options in the properties of the storage

Answer:

C

Question 12

Question Type: **MultipleChoice**

Which two settings can be configured in the ralus.cfg file of the Agent for Linux? (Choose two.)

Options:

A- the list of files and directories to be excluded from backup jobs

B- enable client-site replication

C- the list of Backup Exec servers to publish to

D- the list of Network Interface Cards (NIC) to use for the backup

E- the list of accounts which can access the Backup Exec server

Answer:

A, C