



**Free Questions for *AD0-E127* by *certscare***

**Shared by *Cameron* on *15-04-2024***

**For More Free Questions and Preparation Resources**

***Check the Links on Last Page***

# Question 1

---

**Question Type:** MultipleChoice

---

Which statement can be used by an AEM Forms developer to create and test the call to the database that executes a stored procedure in AEM forms JDBC connection?

## Options:

---

- A- Callable Statement Info Editor
- B- Procedure Statement Info Editor
- C- Returnable Statement Info Editor

## Answer:

---

A

## Explanation:

---

This is a statement that can be used by an AEM Forms developer to create and test the call to the database that executes a stored procedure in AEM forms JDBC connection1. It allows the developer to specify the name of the stored procedure, the input and output parameters, and the result set.

## Question 2

---

**Question Type:** MultipleChoice

---

An AEM Forms developer wants to render a PDF form to the client using the Form service. The developer needs to invoke a certain method on the

`com.adobe.livecycle.formsservice.client.PDFFormRenderSpec` object to enable the client rendering.

Which option shows the correct way of using the needed method to accomplish the goal?

### Options:

---

**A-** `setEnabledViewerPreferences(true)`

**B-** `setRenderAtClient(RenderAtClient.Yes)`

**C-** `setRenderAtClient(RenderAtClient.Always)`

### Answer:

---

C

### **Explanation:**

---

This is the method that an AEM Forms developer needs to invoke on the `com.adobe.livecycle.formsservice.client.PDFFormRenderSpec` object to enable the client rendering. It sets the `renderAtClient` property to `RenderAtClient.Always`, which means that the PDF form will always be rendered at the client side using Adobe Reader or Acrobat.

## **Question 3**

---

### **Question Type: MultipleChoice**

---

What is a valid value when choosing the entity to which a data model object read service argument can be bound?

### **Options:**

---

- A-** Path parameter
- B-** HTTP Header
- C-** Request Attribute

**Answer:**

---

A

**Explanation:**

---

This is a valid value when choosing the entity to which a data model object read service argument can be bound<sup>4</sup>. A path parameter is a part of the URL that identifies a specific resource or value. For example, in the URL <https://example.com/api/customers/1234/orders>, 1234 is a path parameter that represents a customer ID.

## Question 4

---

**Question Type: MultipleChoice**

---

Which two user group assignments must an user have in order to access Interactive Communications Agent UI in AEM inbox? (Choose two.)

**Options:**

---

**A-** workflow-users

**B-** cm-agent-users

**C-** agent-users

**D-** cm-workflow

**Answer:**

---

A, B

**Explanation:**

---

These are two user group assignments that an user must have in order to access Interactive Communications Agent UI in AEM inbox3. The workflow-users group allows accessing the AEM Inbox and performing tasks related to workflows. The cm-agent-users group allows accessing and using Interactive Communications Agent UI, which provides features such as searching, filtering, sorting, and viewing interactive communications.

## Question 5

---

**Question Type:** MultipleChoice

---

Which JDBC exception in AEM Forms is thrown when a connection to the database server cannot be established or is lost because of configuration issues?

### Options:

---

- A- JDBCDatabaseException
- B- JDBCConnectionException
- C- JDBCConfigurationException

### Answer:

---

B

### Explanation:

---

This is a JDBC exception in AEM Forms that is thrown when a connection to the database server cannot be established or is lost because of configuration issues<sup>2</sup>. It indicates that there is a problem with the connection URL, the credentials, the network, or the database server itself.

## Question 6

---

**Question Type:** MultipleChoice

---

An AEM Forms developer is working on AEM Forms workflow and needs to create an end-to-end procedure to create, run, and monitor a Forms-centric workflow on OSGi.

What are the correct steps to complete this task?

### Options:

---

- A- Create a workflow model > Launch a workflow > Audit or use a workflow
- B- Launch a workflow > Create a workflow model > Audit or use a workflow
- C- Create a workflow model > Audit or use a workflow > Launch a workflow

### Answer:

---

A

### Explanation:

---

These are the correct steps to create, run, and monitor a Forms-centric workflow on OSGi1. A workflow model defines the sequence of steps and actions that are executed when a workflow is launched. A workflow can be launched manually or automatically based on certain triggers. A workflow can be audited or used by accessing the AEM Inbox, which shows the tasks assigned to a user or a group.



**To Get Premium Files for AD0-E127 Visit**

<https://www.p2pexams.com/products/ad0-e127>

**For More Free Questions Visit**

<https://www.p2pexams.com/adobe/pdf/ad0-e127>

