Free Questions for ACSCE-5X by actualtestdumps

Shared by Blevins on 18-01-2024

For More Free Questions and Preparation Resources

Question 1

A web script descriptor uses the "runAs" attribute of the "" element. What limitation does the web script have?

Options:

A) They cannot be used with Tomcat 7.

B) They cannot reside in the classpath.

C) They are not automatically reloaded.

D) They cannot reside in the data dictionary.

Answer:

D

Question 2

What does the index="100" refer to, in the following example of an action group definition in Share?

Options:

A) The fade delay in milliseconds for the action in the user interface.

B) The index id of the icon to be used for the action.

C) The index id of the action item in the data dictionary.

D) The ordering of the items in the action items in the display.

Answer:

D

Explanation:

References:

https://community.alfresco.com/thread/205462-configure-share-document-library-action-order

Question 3

What does the JavaScript ScriptNode API expression "node.assocs" do?

Options:

A) Returns a complete read only list of all associations.

B) Returns the list of all associations which can be changes and modified.

C) Returns the list of child associations which are read only.

D) Returns the list of child associations which can be changes and modified.

Answer:

A

Question 4

After uploading a new document format to Alfresco Content Services, you notice that it isn't showing up in the full-text search results. Which action might help you understand why?

Options:

A) Use Luke to check the index for the document UUID, then check the index state of that UUID.

B) Look at the list of registered transformers to make sure the mime type of the uploaded document is transformable to text.

C) Verify the content model to make sure it was properly loaded into the repository.

D) Inspect the current upload script, we need to manually add the indexing for new mime types there.

Answer:

B

Question 5

Question Type: MultipleChoice

The embedded Activiti in Alfresco Content Services provides different types of tasks in a process definition. Which one is NOT a provided task?

A) userTask.

B) processTask.

C) scriptTask.

D) mailTask.

Answer:

B

Question 6

Question Type: **MultipleChoice**

What is the variable's scopes available for Activiti workflows?

Options:

A) Process instance and task.

B) Node and task.

C) Process instance and form.

D) Process instance and global.

Answer:

A

Question 7

Select two ways to audit Alfresco Content Services events in an Alfresco Content Services extension?

Options:

A) Mark a method in the extension with an @Auditable annotation.

B) Open a connection to the database and write the audit information to the audit tables.

C) Inject AuditComponent into the extension and call recordAuditValues.

D) Use the Alfresco REST API to record an audit event.

E) Call the Java Audit Service.

Answer:

D, E

Explanation:

References

http://docs.alfresco.com/6.0/concepts/audit-intro.html

Question 8

Question Type: MultipleChoice

How should Smart Folders be identified and recognized?

Options:

A) Smart Folders should be recognized by their type smf:smartFolder

B) Smart Folders should be recognized by parent-child type used smf:contains

C) Smart Folders should be recognized by their aspect smf:smartFolder

D) Smart Folders should be recognized by the special node reference used.

E) Smart Folders can not be recognized as they are not different from any other cm:folder.

Answer:

D

Explanation:

References

https://docs.alfresco.com/6.0/references/sf-tech-faqs.html

Question 9

Question Type: MultipleChoice

Select two ways to audit Alfresco Content Services events in an Alfresco Content Services extension?

Options:

A) Mark a method in the extension with an @Auditable annotation.

B) Open a connection to the database and write the audit information to the audit tables.

C) Inject AuditComponent into the extension and call recordAuditValues.

D) Use the Alfresco REST API to record an audit event.

E) Call the Java Audit Service.

Answer:

D, E

Explanation:

References

http://docs.alfresco.com/6.0/concepts/audit-intro.html

Question 10

The embedded Activiti in Alfresco Content Services provides different types of tasks in a process definition. Which one is NOT a provided task?

Options:

A) userTask.

B) processTask.

C) scriptTask.

D) mailTask.

Answer:

B

Question 11

Question Type: **MultipleChoice**

Which of the following is the correct name of a helper class that should be extended to define your own Java-backed web scripts that take full control of the http request?

Options:

A) WebScriptImpl

B) DeclarativeWebScript

C) BasicWebScript

D) AbstractWebScript

Answer:

B

Explanation:

References

https://community.alfresco.com/thread/166539-java-backed-webscript-and-freemarker-templates