



**Free Questions for [ACD100](#) by [certsinside](#)**

**Shared by [Dillard](#) on [14-02-2023](#)**

**For More Free Questions and Preparation Resources**

**[Check the Links on Last Page](#)**

## Question 1

---

**Question Type:** MultipleChoice

---

What is test-driven design?

### Options:

---

- A-** A developer writes test cases that will succeed based on the developer's expression rule.
- B-** A developer writes test cases before they write their expression rule and uses them to determine when they've succeeded.
- C-** A developer writes test cases after they have finished writing their expression rule to determine if they've succeeded.
- D-** A developer writes test cases as they write their expression rule to test their rule along the way.

### Answer:

---

B

## Question 2

---

**Question Type:** MultipleChoice

---

Given a Text type input of ri!text, which function will return that text without any spaces in the text?

**Options:**

---

A- trim(ri!text)

B- remove(ri!text, ' ')

C- stripwith(ri!text, ' ')

D- flatten(ri!text)

**Answer:**

---

C

## Question 3

---

**Question Type: MultipleChoice**

---

You want to retrieve data from the database to show on your form.

Which option should you use?

### Options:

---

A- a!queryEntity()

B- a!querySelection()

C- a!query()

D- a!queryColumn()

### Answer:

---

A

## Question 4

---

**Question Type:** MultipleChoice

---

Review the following expression:

```
a!forEach(  
  items: {100,200,300},  
  expression: fv!item+fv!index  
)
```

What will this expression return?

**Options:**

---

**A-** {200,400,600}

**B-** {101,202,303}

**C-** {101,200,300,1,2,3}

**D-** {101,1,200,2,300,3}

**Answer:**

---

B

## Question 5

---

**Question Type: MultipleChoice**

---

You have been tasked with creating a new expression rule in an application with the acronym ABC.

According to Appian best practices, which name is most appropriate?

**Options:**

---

- A- ABCGetUserById
- B- ABC\_GetUserById
- C- ABC\_GetUser\_byId
- D- ABC\_get\_user\_by\_id

**Answer:**

---

B

## Question 6

---

**Question Type: MultipleChoice**

---

You are using local variables defined in a!localVariables().

Based on the default refresh behavior, when will the variable refresh?

**Options:**

---

- A- Variables are refreshed when introduced in `forEach()`.
- B- Variables are refreshed on every interaction.
- C- Variables are refreshed when any referenced variables are changed.
- D- Variables are refreshed once the form is submitted.

**Answer:**

---

B

## Question 7

---

**Question Type:** MultipleChoice

---

You want to evaluate an expression by using a loop.

Which option should you use?

**Options:**

---

A- `forEach()`

**B-** a!for()

**C-** a!while()

**D-** a!do()

**Answer:**

---

A

## Question 8

---

**Question Type:** MultipleChoice

---

What is the maximum number of additional views that can be created on Appian record types?

**Options:**

---

**A-** 10

**B-** 20

**C-** 30

**D-** There is no limit



**Answer:**

---

D

**To Get Premium Files for ACD100 Visit**

**<https://www.p2pexams.com/products/acd100>**

**For More Free Questions Visit**

**<https://www.p2pexams.com/appian/pdf/acd100>**

