



Free Questions for [CBSP](#) by [dumpshq](#)

Shared by [Mcintosh](#) on [15-04-2024](#)

For More Free Questions and Preparation Resources

[Check the Links on Last Page](#)

Question 1

Question Type: MultipleChoice

Stealth addresses are designed to do which of the following?

Options:

- A- Conceal transaction amount
- B- Conceal transaction recipient
- C- Conceal transaction sender
- D- Conceal shared secret

Answer:

B

Question 2

Question Type: MultipleChoice

Which of the following are good ways to get pseudo-random numbers for smart contracts?

Options:

- A- Private variables
- B- Private functions
- C- Block hashes
- D- External oracle

Answer:

D

Question 3

Question Type: MultipleChoice

Sidechains can benefit the mainchain in what ways? Select all that apply

Options:

A- Speed

B- Functionality

C- Scalability

D- Security

Answer:

B, C

Question 4

Question Type: MultipleChoice

Decentralization is an organizational risk due to decreased control over the organization's data.

Options:

A- True

B- False

Answer:

A

Question 5

Question Type: MultipleChoice

The Bitcoin hack demonstrated that there are circumstances in which the principles of blockchain must be violated to protect the blockchain.

Options:

A- True

B- False

Answer:

A

Question 6

Question Type: MultipleChoice

Which of the following are shared benefits of private and permissioned blockchain architectures? Select all that apply.

Options:

- A- Scale
- B- Efficiency
- C- Access Control
- D- Decentralization

Answer:

B, C

Question 7

Question Type: MultipleChoice

Which of the following are necessary properties for a cryptographic hash function to be secure? Select all that apply

Options:

A- Randomness

B- Large State Space

C- One-Way

D- Non-Locality

Answer:

B, C, D

Question 8

Question Type: MultipleChoice

Which smart contract vulnerabilities can be exploited by a malicious miner? Select all that apply

Options:

- A- Bad Randomness
- B- Short Addresses
- C- Timestamp Dependence
- D- Race Conditions

Answer:

C, D

Question 9

Question Type: MultipleChoice

The List hack demonstrated that blockchains using short addresses are exploitable

Options:

- A- True

B- False

Answer:

A

Question 10

Question Type: MultipleChoice

Spinning up a large number of temporary mining servers is likely part of what type of attack?

Options:

A- Routing

B- Denial of Service

C- Sybil

D- Eclipse

Answer:

C

To Get Premium Files for CBSP Visit

<https://www.p2pexams.com/products/cbsp>

For More Free Questions Visit

<https://www.p2pexams.com/blockchain/pdf/cbsp>

