



**Free Questions for 300-735 by [braindumpscollection](#)**

**Shared by [Meyer](#) on 06-06-2022**

**For More Free Questions and Preparation Resources**

**[Check the Links on Last Page](#)**

## Question 1

---

**Question Type:** MultipleChoice

---

A developer has just completed the configuration of an API that connects sensitive internal systems. Based on company policies, the security of the data is a high priority.

Which approach must be taken to secure API keys and passwords?

### Options:

---

- A- Embed them directly in the code.
- B- Store them in a hidden file.
- C- Store them inside the source tree of the application.
- D- Change them periodically.

### Answer:

---

D

## Question 2

---

**Question Type: MultipleChoice**

---

Which two methods are API security best practices? (Choose two.)

**Options:**

---

- A-** Use tokens after the identity of a client has been established.
- B-** Use the same operating system throughout the infrastructure.
- C-** Use encryption and signatures to secure data.
- D-** Use basic auth credentials over all internal API interactions.
- E-** Use cloud hosting services to manage security configuration.

**Answer:**

---

A, C

## Question 3

---

**Question Type: MultipleChoice**

---

Which URI string is used to create a policy that takes precedence over other applicable policies that are configured on Cisco Stealthwatch?

**Options:**

---

- A- /tenants/{tenantId}/policy/system/host-policy
- B- /tenants/{tenantId}/policy/system/role-policy
- C- /tenants/{tenantId}/policy/system
- D- /tenants/{tenantId}/policy/system/{policyId}

**Answer:**

---

A

## Question 4

---

**Question Type: MultipleChoice**

---

Which step is required by Cisco pxGrid providers to expose functionality to consumer applications that are written in Python?

**Options:**

---

- A- Look up the existing service using the /pxgrid/control/ServiceLookup endpoint.
- B- Register the service using the /pxgrid/control/ServiceRegister endpoint.
- C- Configure the service using the /pxgrid/ise/config/profiler endpoint.
- D- Expose the service using the /pxgrid/ise/pubsub endpoint.

**Answer:**

---

D

## Question 5

---

**Question Type: MultipleChoice**

---

Which query parameter is required when using the reporting API of Cisco Security Management Appliances?

**Options:**

---

- A- device\_type

**B-** query\_type

**C-** filterValue

**D-** startDate + endDate

**Answer:**

---

D

## Question 6

---

**Question Type:** MultipleChoice

---

Refer to the exhibit.

Request URL:

`https://198.18.133.8/api/fdm/v1/policy/intrusionpolicies`

What is the purpose of the API represented by this URL?

**Options:**

---

- A- Getting or setting intrusion policies in FMC
- B- Creating an intrusion policy in FDM
- C- Updating access policies
- D- Getting the list of intrusion policies configured in FDM

**Answer:**

---

D

## Question 7

---

**Question Type:** MultipleChoice

---

What is the purpose of the snapshot APIs exposed by Cisco Stealthwatch Cloud?

**Options:**

---

- A- Report on flow data during a customizable time period.
- B- Operate and return alerts discovered from infrastructure observations.
- C- Return current configuration data of Cisco Stealthwatch Cloud infrastructure.

**D-** Create snapshots of supported Cisco Stealthwatch Cloud infrastructure.

**Answer:**

---

B

## Question 8

---

**Question Type: MultipleChoice**

---

Refer to the exhibit. A network operator wrote a Python script to retrieve events from Cisco AMP.

```
import requests
CLIENT_ID = 'a1b2c3d4e5f6g7h8i9j0'
API_KEY = 'a1b2c3d4-e5f6-g7h8-i9j0-k112m3n4o5p6'
----MISSING CODE----
URL = BASE_URL+'/v1/events'
request = requests.get(url, auth=(amp_client_id, amp_api_key))
```

Against which API gateway must the operator make the request?

**Options:**

---



- A- BASE\_URL = "https://api.amp.cisco.com"
- B- BASE\_URL = "https://amp.cisco.com/api"
- C- BASE\_URL = "https://amp.cisco.com/api/"
- D- BASE\_URL = "https://api.amp.cisco.com/"

**Answer:**

---

A

## Question 9

---

**Question Type:** MultipleChoice

---

Which two commands create a new local source code branch? (Choose two.)

**Options:**

---

- A- git checkout -b new\_branch
- B- git branch -b new\_branch
- C- git checkout -f new\_branch

**D-** git branch new\_branch

**E-** git branch -m new\_branch

**Answer:**

---

A, D

## Question 10

---

**Question Type: MultipleChoice**

---

Which two APIs are available from Cisco ThreatGRID? (Choose two.)

**Options:**

---

**A-** Access

**B-** User Scope

**C-** Data

**D-** Domains

**E-** Curated Feeds

**Answer:**

---

C, E

## Question 11

---

**Question Type: MultipleChoice**

---

The Cisco Security Management Appliance API is used to make a GET call using the URI /sma/api/v2.0/reporting/mail\_incoming\_traffic\_summary/detected\_amp?startDate=2016-09-

10T19:00:00.000Z&endDate=2018-09-24T23:00:00.000Z&device\_type=esa&device\_name=esa01.

What does this GET call return?

**Options:**

---

- A-** values of all counters of a counter group, with the device group name and device type for web
- B-** value of a specific counter from a counter group, with the device name and type for email
- C-** value of a specific counter from a counter group, with the device name and type for web
- D-** values of all counters of a counter group, with the device group name and device type for email

**Answer:**

---

D

**To Get Premium Files for 300-735 Visit**

**<https://www.p2pexams.com/products/300-735>**

**For More Free Questions Visit**

**<https://www.p2pexams.com/cisco/pdf/300-735>**

