

Free Questions for ANC-201 by braindumpscollection

Shared by Byers on 20-10-2022

For More Free Questions and Preparation Resources

Check the Links on Last Page

Question Type: MultipleChoice

Which of these is not a method for controlling record-level access?

А

Answer:

Explanation:

https://help.salesforce.com/articleView?id=bi_security_datasets_row_level.htm

Question Type: MultipleChoice

How can you restrict access to Analytics data at the row level?

Options:

- A- Manually add a flag to each row to prevent access.
- B- Use a security predicate to filter which rows are returned.
- **C-** Use subtle thought control.
- D- Remove restricted rows from the JSON file.

Answer:

В

Explanation:

Predicate is a name for a filter condition that defines row-level access to records in a dataset Example: 'rowLevelSecurityFilter':"AccountOwner' == \'\$User.Name\"

Question 3

Question Type: MultipleChoice

What's a good way to see which required questions in the configuration wizard don't have default values?

Options:

- A- Answer only questions that involve custom objects
- B- Try each option in the dropdown one at a time
- C- Download the app and run a SAQL query on the JSON
- D- Click 'Looks good, next' and look for questions highlighted in red

Answer:

Question Type: MultipleChoice

A customer displays a lot of data and wants a way to dynamically emphasize certain values on a bar chart in order to properly grab the user's attention.

What can an Einstein Consultant use to accomplish this task?

Options:

A- Customize tooltip		
B- Chart Markers		
C- XMD		
D- Compare Table		

Answer:			

Explanation:

Question Type: MultipleChoice

What can you change in a Compare Table formula column?

Options:

A- The filters

B- The measure

C- The grouping

D- The formula and the name

Answer:

Question Type: MultipleChoice

In Einstein Analytics, which node is used in a dataflow to extract data from a registered dataset?

Options:			
A- sfdcDigest			
B- digest			
C- export			
D- edgemart			
Answer:			

D

Question 7

Question Type: MultipleChoice

Options:

- A- Manually add a flag to each row to prevent access.
- B- Use a security predicate to filter which rows are returned.
- **C-** Use subtle thought control.
- D- Remove restricted rows from the JSON file.

Answer:

В

Explanation:

Predicate is a name for a filter condition that defines row-level access to records in a dataset Example: 'rowLevelSecurityFilter':"AccountOwner' == \'\$User.Name\"

Question 8

Which of these is not a method for controlling record-level access?

Options:

A- Profiles

B- Sharing Rules

C- Organization-Wide Defaults

D- Role Hierarchy

Answer:

А

Explanation:

https://help.salesforce.com/articleView?id=bi_security_datasets_row_level.htm

https://help.salesforce.com/articleView?id=managing_the_sharing_model.htm&type=5

Question Type: MultipleChoice

Why is it important to select the right root object when you use the dataset builder?

Options:

- A- The root object determines who can see the dataset.
- B- Only data from the root object can be included in the dataset.
- C- The root object determines what related objects you can add to the dataset.
- D- The root object determines what app the dataset is saved in.

Answer:

С

To Get Premium Files for ANC-201 Visit

https://www.p2pexams.com/products/anc-201

For More Free Questions Visit

https://www.p2pexams.com/salesforce/pdf/anc-201

