



Free Questions for DEE-1421 by [braindumpscollection](#)

Shared by [Herman](#) on [15-04-2024](#)

For More Free Questions and Preparation Resources

[Check the Links on Last Page](#)

Question 1

Question Type: MultipleChoice

A company wants to purchase four new Dell EMC Isilon H500 nodes to add their current Gen 5 cluster. Which internal requirements are needed?

Options:

- A- Replace the IB switches with Ethernet switches
- B- Gen 6 nodes cannot be mixed with Gen 5 nodes
- C- Add two new Ethernet switches in addition to the existing IB switches
- D- Use the existing IB switches

Answer:

C

Question 2

Question Type: MultipleChoice

An IT team is implemented a disaster recovery solution. A Dell EMC Isilon cluster will replicate production data from the existing primary cluster to a planned secondary cluster. The primary cluster is licensed for SmartLock Enterprise. A SmartLock enterprise type directory on the primary cluster is planned for SyncIQ replication to the secondary cluster.

When consulting with the IT team. What is a key consideration when replacing the data in a SyncIQ source directory configured with SmartLock Enterprise mode?

Options:

- A- A SyncIQ polickey is not supported on a WORM domain
- B- Replication is allowed but a tailback will copy the entire dataset
- C- SyncIQ will support a tailback regardless of the target Directory type
- D- Target directory must be a Smartlock enterprise type

Answer:

D

Question 3

Question Type: MultipleChoice

Question 4

Question Type: MultipleChoice

You are assisting a company in planning for a Dell EMC Isilon disaster recovery sites. One of the company's concerns is the time that is needed for the initial synchronization between the primary and disaster recovery sites.

What will help address this concern?

Options:

- A- After creating the policies, use the "assess sync" functionality
- B- After creating the policies, start the job and observe how much time it takes
- C- Time cannot be estimated due to many factors such as the cluster workload
- D- Use a third-party tool to estimate the time based on the data and the bandwidth available

Answer:

B

Question 5

Question Type: MultipleChoice

A company has two Dell EMC Isilon clusters. The source cluster is running OneFS 8.0.x and the target cluster is running OneFS 7.2.x with replication policies configured from the source to the target cluster. OneFS will not be upgraded on the target cluster.

After some time, the company decided to archive some of the data to ECS using CloudPools. One of the company's concerns is how the archived data will be replicated using the existing SyncIQ policies.

What is recommended approach to address the company's concerns?

Options:

- A- Starts OneFS 8.0. SyncIQ will replicate the data without retrieving it from ECS
- B- Select the Deep Copy option in the SyncIQ policies to replicate the archived data
- C- Upgrade the source cluster to OneFS 8.1.x to be able to replicate the archived data using SyncIQ
- D- Leverage the ECS replication technology to replicate the archived data

Answer:

B

Question 6

Question Type: MultipleChoice

A company has a cluster with two subnets. The first subnet has 1GbE interfaces dedicated for management and the second subnet has 10GG interfaces dedicated for handling all data access. When the cluster started serving the prediction environment. Poor performance was observed while the data is accessed through the data subnet. While troubleshooting the network the administrator discovered that the return traffic is going through the management network.

Which recommended solution will rescue this issue?

Options:

- A- Configure static routes for both subnets
- B- Enable source-based routing
- C- Enable destination based routing with static routes
- D- Change the gateway priorities

Answer:

D

To Get Premium Files for DEE-1421 Visit

<https://www.p2pexams.com/products/dee-1421>

For More Free Questions Visit

<https://www.p2pexams.com/dell-emc/pdf/dee-1421>

