



Free Questions for [GE0-703](#) by [braindumpscollection](#)

Shared by [Garrett](#) on [29-01-2024](#)

For More Free Questions and Preparation Resources

[Check the Links on Last Page](#)

Question 1

Question Type: MultipleChoice

Which is NOT a feature of a GVP In-Front of switch configuration?

Options:

- A- Operator Hang up detect
- B- Transfer caller entered data
- C- Whisper to Agent
- D- Treating missing DNIS

Answer:

D

Question 2

Question Type: MultipleChoice

The purpose of the Media Gateway is to _____.

Options:

A- Process VoiceXML pages

B- Process ASP pages

C- Process TDM calls

D- Perform the conversion between TDM voice to Voice over Internet Protocol (VoIP) and back again

Answer:

D

Question 3

Question Type: MultipleChoice

Please refer to the log message CALL DROPPED. What should be done to ensure the next call to the same phone number would work?

```
ps5-hstn07 - (PopGateway2) Bookspan {CAFD18C6-5486-11D5-AC33-00508B72CAFA} CALL_DROPPED : REASON: Primary WAS Failure. No Backup WAS Provisioned. ANI= DID=1628 TollFreeNum=3330515225 Application=Bookspan SessionID={CAFD18C6-5486-11D5-AC33-00508B72CAFA} LastError=BAD_XMLPAGE LastErrorString=no element found at line 9
```

Options:

- A- Restart the VCS
- B- Restart the WebServer
- C- Check and regenerate the code for the VoiceXML application
- D- Provision the phone number in VPM

Answer:

C

Question 4

Question Type: MultipleChoice

The DNIS.xml provides _____.

Options:

- A- The Primary Application URL
- B- All application configuration information but no process information
- C- The address of the IVR Server
- D- The URL path to the <Application_Name>.XML

Answer:

D

Question 5

Question Type: MultipleChoice

When installing EMPS, the core components (common) are NOT required. True or False?

Options:

- A- TRUE

B- FALSE

Answer:

B

Question 6

Question Type: MultipleChoice

In an In-Front of the Switch configuration using Genesys Framework, _____.

Options:

- A-** The VCS receives all call routing information from the strategy
- B-** The DNIS must be delivered to the VCS with the call
- C-** A connection with the IVR Server is required
- D-** ANI is required to initiate or begin the call.

Answer:

B

Question 7

Question Type: MultipleChoice

Which are the typical components of a VOIP SIP solution?

Options:

A- IP Communication Server, Telephony Board, and CTI-Link

B- Voice Communications Server, Media Gateway, and IP Communication Manager

C- IP Communication Server, SIP Session or H.323 Session Manager, Resource Manager, and Polyhedra database

D- IP Communication Manager, Media Gateway and Telephony Board

Answer:

C

Question 8

Question Type: MultipleChoice

The web server in a GVP solution must _____.

Options:

- A-** Not be windows-based
- B-** Be http compliant such that it can generate VoiceXML
- C-** Be Apache if using Java Server Pages on a Windows-based web server
- D-** Be running Windows 2000 Professional

Answer:

B

Question 9

Question Type: MultipleChoice

Is ISCC function used by IVR-TServer in network mode ? Choose the best statement.

Options:

- A- Yes because the IVR is like a second site
- B- No because the IVR is integrated in the real site
- C- No because ISCC function doesn't exist in IVR-TServer

Answer:

A

Question 10

Question Type: MultipleChoice

When you make a change to a parameter, such as PopGateway, Route1, Route Type - from InBound to OutBound, what needs to happen for this change to go into effect?

Options:

- A- Restart WatchDog
- B- No need to restart anything. New parameter value goes into effect immediately

C- Restart the EMPS

D- Restart MRCP Server

Answer:

A

Question 11

Question Type: MultipleChoice

Which process of EMPS communicates with the dispenser?

Options:

A- SPS A-Self-Service Provisioning Server

B- SPM A-Self-Service Provisioning Manager

C- SCI - Solution Control Interface

D- SCA - Self-Service Configuration Agent

Answer:

A

Question 12

Question Type: MultipleChoice

Which of the following features can be changed using the Element Management System (EMS) GUI when monitoring a VCS?

Options:

- A-** The log level for each process
- B-** The default directory for logging
- C-** The Behind or In-Front configuration for that particular VCS
- D-** The speech recognition vendor for that particular VCS

Answer:

A

To Get Premium Files for GE0-703 Visit

<https://www.p2pexams.com/products/ge0-703>

For More Free Questions Visit

<https://www.p2pexams.com/genesys/pdf/ge0-703>

