



**Free Questions for H12-211 by [braindumpscollection](#)**

**Shared by [Kirk](#) on [18-01-2024](#)**

**For More Free Questions and Preparation Resources**

**[Check the Links on Last Page](#)**

## Question 1

---

**Question Type:** MultipleChoice

---

When the packet security mode of IPSec is tunnel mode, the IP address of the intranet host is hidden. The reason for this is to protect the entire original data.

Package security

**Options:**

---

A) Yes

B) Wrong

**Answer:**

---

A

## Question 2

---

**Question Type:** MultipleChoice

---

The following configuration default routing commands are correct ()

**Options:**

---

- A) [Huawei]ip route static 0.0.0.0 0.0.0.0 192.168.1.1
- B) [Huawei]ip route static 0.0.0.0 255.255.255.255 192.168.1.1
- C) [Huawei Serial0]ip route static 0.0.0.0 0.0.0.0 0.0.0.0
- D) [Huawei]ip route static 0.0.0.0 0.0.0.0 0.0.0.0

**Answer:**

---

A

## Question 3

---

**Question Type: MultipleChoice**

---

If the broadcast address of a network is 172.16.1.255, then its network address may be ()?

**Options:**

---

- A) 172.16.2.0
- B) 172.16.1.253
- C) 172.16.1.128
- D) 172.168.1.1

**Answer:**

---

C

## Question 4

---

**Question Type: MultipleChoice**

---

When the routers are running in the same OSPF area, the description of their LSDB and routing table is correct ().

(multiple choice)

**Options:**

---

- A) The link state database obtained by all routers is the same
- B) The link state database obtained by each router is different.
- C) The routing table of each router is different.
- D) The routing tables obtained by all routers are the same.

**Answer:**

---

A, C

## Question 5

---

**Question Type:** MultipleChoice

---

When saving the router's configuration file, which storage medium is usually stored on it?

**Options:**

---

- A) SDRAM
- B) NVRAM
- C) Flash

**D)** Boot ROM

**Answer:**

---

B

## Question 6

---

**Question Type: MultipleChoice**

---

Network administrators use ping to check network connectivity. Which of the following protocols might be used in the process?

(multiple choice)

**Options:**

---

**A)** ICMP

**B)** TCP

**C)** ARP

**D)** UDP

**Answer:**

---

A, C

## Question 7

---

**Question Type:** MultipleChoice

---

STP root switch priority range is 0 65536

**Options:**

---

A) Yes

B) Wrong

**Answer:**

---

B

## Question 8

---

**Question Type: MultipleChoice**

---

The following statement about DLCI is correct (). (multiple choice)

**Options:**

---

- A) DLCI only has local significance
- B) DLCI is assigned by the DTE side
- C) The DLCI range available to the user is 16 1007
- D) Different physical interfaces can be configured with the same DLCI

**Answer:**

---

A, D



**To Get Premium Files for H12-211 Visit**

**<https://www.p2pexams.com/products/h12-211>**

**For More Free Questions Visit**

**<https://www.p2pexams.com/huawei/pdf/h12-211>**

