



Free Questions for II0-001 by [braindumpscollection](#)

Shared by [Murphy](#) on [06-06-2022](#)

For More Free Questions and Preparation Resources

[Check the Links on Last Page](#)

Question 1

Question Type: MultipleChoice

Which method is NOT regarded as a prevention technique for IP spoofing:

Options:

- A- Not relying on IP address based authentication
- B- Intrusion Detection System implementation
- C- Encryption requirement on all network traffic
- D- Router based packet filtering

Answer:

C

Question 2

Question Type: MultipleChoice

A SYN attack exploits what aspect of TCP communications?

Options:

- A- Three-way handshake
- B- Unilateral communication
- C- Transport layer communication
- D- Connectionless oriented communication

Answer:

A

Question 3

Question Type: MultipleChoice

The result of an attack Traceback can be characterized by these three parameters, the degree of which determines success:

Options:

- A- confidentiality, integrity, and availability
- B- precision, integrity, and timeliness
- C- confidentiality, integrity, and accuracy
- D- precision, accuracy, and timeliness

Answer:

D

Question 4

Question Type: MultipleChoice

In the OSI stack, which layer is associated with TCP transmissions?

Options:

- A- The application layer

- B- The data link layer
- C- The transport layer
- D- The network layer

Answer:

C

Question 5

Question Type: MultipleChoice

Which tool is used to confirm the name or IP address of an Internet host:

Options:

- A- Ping
- B- Traceroute
- C- Nslookup
- D- Finger

Answer:

C

Question 6

Question Type: MultipleChoice

Generally, which header is used to reveal reliable information from forged emails:

Options:

A- Reply-to header

B- Return-receipt-to header

C- Received header

D- Comments header

Answer:

C

Question 7

Question Type: MultipleChoice

Added "Received:" headers often include bogus information. All of the following items except one, is usually incomplete:

Options:

- A- 'To:' header
- B- IDs
- C- Path
- D- Dates

Answer:

A

Question 8

Question Type: MultipleChoice

Clues that a "Received:" header has been forged include all but one of the following:

Options:

- A- Invalid IP address
- B- Invalid host names
- C- Invalid Subject line
- D- Invalid format

Answer:

C

Question 9

Question Type: MultipleChoice

A trick used by forgers is to:

Options:

- A- Delete Received: headers before sending
- B- Add spurious Received: headers after sending
- C- Add spurious Received: headers before sending
- D- Forge the UDP packets

Answer:

C

Question 10

Question Type: MultipleChoice

The single most valuable forgery protection in the Received: headers is the information logged by the:

Options:

- A- sender to the receiving host

B- email client

C- sending machine

D- the SMTP host receiving from the sender

Answer:

D

To Get Premium Files for IIO-001 Visit

<https://www.p2pexams.com/products/ii0-001>

For More Free Questions Visit

<https://www.p2pexams.com/iisfa/pdf/ii0-001>

