



**Free Questions for 1Z0-931-23 by [braindumpscollection](#)**

**Shared by [Dyer](#) on [29-01-2024](#)**

**For More Free Questions and Preparation Resources**

**[Check the Links on Last Page](#)**

## Question 1

---

**Question Type:** MultipleChoice

---

Which vaults are used for storing customer-managed encryption keys for Autonomous Database on Dedicated Infrastructure?

### Options:

---

- A- Oracle Key Vault, Oracle Cloud Infrastructure Vault
- B- Oracle Database Vault, Oracle Key Vault
- C- Oracle Audit Vault, Oracle Key Vault
- D- Oracle Cloud Infrastructure Vault, Oracle Database Vault

### Answer:

---

D

## Question 2

---

**Question Type:** MultipleChoice

---

Which statement is FALSE regarding provisioning an Autonomous Database and configuring private endpoints with security rules to allow incoming and outgoing traffic to and from the Autonomous Database Instance?

**Options:**

---

- A- The IP Protocol is set to TCP
- B- A stateless ingress rule is created to allow connections from the source to the Autonomous Database instance
- C- The source is set to the address range you want to allow to connect to your database
- D- The destination port range is set to 1522

**Answer:**

---

B

## Question 3

---

**Question Type: MultipleChoice**

---

Which two methods can you use to define Oracle Machine Learning users?

**Options:**

---

- A- SQL Developer
- B- the DBMS\_CLOUD\_ADMIN package
- C- Oracle Cloud Infrastructure Console
- D- Service Console

**Answer:**

---

C

## Question 4

---

**Question Type: MultipleChoice**

---

How do you change the tablespace quota for user MTHEO on Autonomous Database on Shared Infrastructure?

**Options:**

---

- A- Execute alter database for user MTHEO tablespace DATA quota = 10G;

- B-** Execute alter user MTHEO quota unlimited on tablespace DATA;
- C-** Execute DBMS\_CLOUD\_ADMIN.GRANT\_TABLESPACE\_QUOTA (username = MTHEO', V U tablespace\_quota -> UNLIMITED');
- D-** Execute alter tablespace DATA det quota = 10G;

**Answer:**

---

C

## Question 5

---

**Question Type:** MultipleChoice

---

Which two Oracle Cloud Infrastructure (OCI) resources do you need to create before initiating a manual backup of Oracle Autonomous Database?

**Options:**

---

- A-** Backup Job
- B-** Service Gateway
- C-** Auth Token

**D-** Object Storage Bucket

**E-** Storage Gateway

**Answer:**

---

C, D

## Question 6

---

**Question Type: MultipleChoice**

---

Which statement is FALSE regarding database links?

**Options:**

---

**A-** You can call PL/SQL procedures and functions by using a database link

**B-** You can connect to an Autonomous Database from a remote database using a database link

**C-** You can create a database link from one Autonomous Database to another Autonomous Database instance

**D-** You can connect to a remote database from an Autonomous Database by using a database line

**Answer:**

---

A

## Question 7

---

**Question Type: MultipleChoice**

---

Which Database Actions tool is used to get information about the entities in your Oracle Autonomous Database and to also see how changing an object affects other objects?

**Options:**

---

A- Data Insights

B- JSON

C- Catalog

D- Data Load

**Answer:**

---

C

## Question 8

---

**Question Type:** MultipleChoice

---

Which statement is true about OCPUs and storage when you choose to scale your Autonomous Database?

**Options:**

---

- A- Increasing OCPUs will automatically increase storage
- B- OCPUs and storage must remain in sync
- C- OCPUs and storage can be scaled independently
- D- Use auto scaling to increase storage

**Answer:**

---

C

## Question 9

---

**Question Type:** MultipleChoice

---



Which DBMS\_WORKLOAD\_REPOSITORY subprogram procedure can be used to modify the default eight day retention period for Autonomous Database performance data?

**Options:**

---

- A- MODIFY\_BACELINE\_WINDOW\_SIZE
- B- UPDATE\_OBJECT\_INFO
- C- CREATE\_BASELINE\_TEMPLATE
- D- MODIFY\_SNAPSHOT\_SETTINGS

**Answer:**

---

D

## Question 10

---

**Question Type:** MultipleChoice

---

Which option describes the connection type that third-party software can use to connect to an Autonomous Database (ADB)?

**Options:**

---

- A- JDBC only
- B- SQL\*Net only
- C- new ADB-specific protocols
- D- any protocol supported by Oracle Net Services

**Answer:**

---

D

## Question 11

---

**Question Type: MultipleChoice**

---

What is the number of concurrent statements that can be handled by the medium database service name?

**Options:**

---

- A- 1-25 X OCPU

- B- OS
- C- unlimited
- D- 20 X OCPU

**Answer:**

---

A

## Question 12

---

**Question Type:** MultipleChoice

---

Which three are Oracle-recommended best practices for Autonomous Database alarms?

**Options:**

---

- A- Create a single alarm for each metric
- B- Suppress alarms during investigations
- C- Tune your alarms routinely
- D- Select the correct alarm interval for your metric

**E-** Use a single interval for all alarms

**F-** Create multiple alarm metrics

**Answer:**

---

A, B, D

**To Get Premium Files for 1Z0-931-23 Visit**

**<https://www.p2pexams.com/products/1z0-931-23>**

**For More Free Questions Visit**

**<https://www.p2pexams.com/oracle/pdf/1z0-931-23>**

