



Free Questions for UiPath-ADPv1 by [braindumpscollection](#)

Shared by [Floyd](#) on [29-01-2024](#)

For More Free Questions and Preparation Resources

[Check the Links on Last Page](#)

Question 1

Question Type: MultipleChoice

A developer needs to create a repetitive process in the REFramework. Following the best practices, which action(s) should be performed to defend against potential robot crashes such as "out of memory"?

Options:

- A- Build a script that compares current CPU usage values to a threshold and clears data as needed.
- B- After every transaction, clear the transaction data, close the applications, and re-open the applications.
- C- Add a 'Clear Collection' activity at the beginning of the Process.xaml workflow.
- D- All 'Invoke Workflow File' activities from the Main.xaml file should be marked with the Isolated option.

Answer:

D

Question 2

Question Type: MultipleChoice

Which of the following options is correct about a State Machine layout?

Options:

- A-** Can have only one initial state and multiple final states.
- B-** Can have only one initial state and only one final state.
- C-** Can have multiple initial states and multiple final states.
- D-** Can have multiple initial states and only one final state.

Answer:

A

Question 3

Question Type: MultipleChoice

What role do Triggers play in the UiPath Integration Service?

Options:

- A- Provide a mechanism for subscribing to specific events from third-party applications, automatically starting processes in Orchestrator.
- B- Assist in the creation of automation projects by providing event-based activities.
- C- Manage connections between UiPath Studio and third-party applications.
- D- Provide a mechanism for starting processes on a scheduled basis from Orchestrator.

Answer:

A

Question 4

Question Type: MultipleChoice

A developer implemented a process using the Robotic Enterprise Framework and an Orchestrator queue. The MaxRetryNumber from the "Config.xlsx" file is set to "1" and the Max # of retries from the Queue settings from Orchestrator is set to "2". At runtime, the first transaction item throws a Business Exception.

How many times will the transaction be retried?

Options:

- A- The transaction will not be retried.
- B- The transaction will be retried only one time.
- C- The transaction will be retried 2 times.
- D- The transaction will be retried multiple times, until it will be processed successfully.

Answer:

B

Question 5

Question Type: MultipleChoice

What is the purpose of the Interval filter in the Orchestrator's Monitoring page?

Options:

- A- It enables you to sort the displayed data based on job priorities.
- B- It allows you to choose between background and foreground processes for the displayed data.

C- It allows you to allocate licenses per machine for the displayed data.

D- It allows you to control the granularity of the displayed data and check the health of your system in either the last day or the last hour.

Answer:

D


Question 6

Question Type: MultipleChoice

The following table is stored in a variable called "dt".

	A	B	C
1	No.	Item	Quantity
2		1 apple	10
3		2 orange	20
4		3 mango	5
5		4 kiwi	80
6		5 pear	1

What will the value of the qty variable be after executing the Assign activity?



Options:

A- 5

B- 10

C- 80

D- null

Answer:

C

Question 7

Question Type: MultipleChoice

What is a pre-requisite for running functional test cases in REFramework?

Options:

A- Invoke Process XAML file

B- Invoke SetTransactionStatus XAML file

C- Invoke Main XAML file

D- Invoke InitAllSettings XAML file

Answer:

D

To Get Premium Files for UiPath-ADPv1 Visit

<https://www.p2pexams.com/products/ui-path-adpv1>

For More Free Questions Visit

<https://www.p2pexams.com/ui-path/pdf/ui-path-adpv1>

