



Free Questions for [DES-DD33](#) by [certscare](#)

Shared by [Flynn](#) on [12-12-2023](#)

For More Free Questions and Preparation Resources

[Check the Links on Last Page](#)

Question 1

Question Type: MultipleChoice

An administrator is migrating their old cloud tier-enabled Data Domain to a new PowerProtect DD appliance with cloud tier. During migration, the administrator recognizes that file system cleaning on the source system is not possible.

What is the most likely cause of this behavior?

Options:

- A- Filesystem is disabled on source system
- B- Source system is running in restricted mode
- C- Migration will restrict all activities on both systems
- D- Migration will restrict all activities on source system

Answer:

D

Question 2

Question Type: MultipleChoice

When should using Virtual Synthetic backups be considered?

Options:

- A- Daily incremental backups are larger than 15% of a normal full backup
- B- PowerProtect DD appliance has more than 10 disks
- C- Backups are nonfile system data such as databases
- D- Backups are large and localized

Answer:

A

Question 3

Question Type: MultipleChoice

A backup administrator needs to implement BoostFS for Windows.

What do they need to install on the Windows server? (Choose all that apply.)

Options:

A- CBFS

B- CIFS

C- NFS

D- FUSE

Answer:

B, C

Explanation:

For CIFS/NFS/DD BoostFS, the first consideration to address is what level of CIFS, NFS and DD BoostFS sharing is wanted for the DD series appliances.

Question 4

Question Type: MultipleChoice

What is the maximum number of concurrently active MTrees that are supported on any PowerProtect DD appliance with DDOS 7.3?

Options:

- A- 64
- B- 100
- C- 256
- D- 512

Answer:

C

Question 5

Question Type: MultipleChoice

Which NDMP device is supported on a PowerProtect DD appliance?

Options:

A- NFS

B- DD Boost

C- CIFS

D- VTL

Answer:

D

Explanation:

A system can present itself as a file server, offering NFS, CIFS access over Ethernet; as a virtual tape library (VTL) over Fibre Channel; as an NDMP tape server over Ethernet; or as a disk target using application specific interfaces like DD Boost. DD VTL is qualified with leading open systems and IBMi enterprise backup applications.

Question 6

Question Type: MultipleChoice

What is a requirement to configure the PowerProtect DD tape out to cloud feature?

Options:

A- Cloud Tier Capacity License

B- Tape Out to Cloud License

C- DDVE in the Cloud

D- Two cloud units

Answer:

A

To Get Premium Files for DES-DD33 Visit

<https://www.p2pexams.com/products/des-dd33>

For More Free Questions Visit

<https://www.p2pexams.com/dell-emc/pdf/des-dd33>

