Question 1

The following description of deploying the CIS data ingestation feature is correct? (single selection).

Options:

A- When the log collector transmits logs to the big data platform It is recommended to use SSL Because the SSL method is more secure But the overhead is greater.

B- By deploying the image function on the stream probe , the Netflow data stream is sent to the big data platform.

C- Syslog B aims to normalize before reporting to the big data platform But Netflow B does not normalize.

D- By deploying the spectroscopic function on the flow probe Send information elements to the big data platform.

Answer:

A

Question 2

If the attacker uses a fake address to launch a TCP flood attack Which of the following defenses is most effective? (single).

Options:

A- Source verification

B- Fingerprint learning

C- Session checking

D- Load inspection

Answer:

A

Question 3

Question Type: MultipleChoice

Which of the following options is a major cause of business disruption in the cloud? (multiple selection).

A- Vulnerabilities

B- Data breach

C- Cyber attacks

D- Viruses

Answer:

A, C, D

Question 4

Question Type: **MultipleChoice**

Let's take the L2TP over IPSec in the dual-machine scenario What is wrong with the description is the egg? (single selection).

Options:

A- In this scenario, Fireproof will assign an IP address to the client

B- After the L2TF tunnel is established, the user cannot access the Internet normally

C- The parameters set by the client should match the parameters set on the firewall.

D- The client should initiate a dial-up connection to the virtual address of the dual machine.

Answer:

B

Question 5

Question Type: MultipleChoice

Huawei proposes * Partition Defense Unified Detection - Security Scheme Which of the following partitions requires a summer firewall").

Options:

A- Internet boundaries

B- Business service area

C- Office network

D- Core exchange area

Question 6

Question Type: **MultipleChoice**

The following describes the implementation of server IP address planning in the firewall server load balancing function, which are the correct items? (multiple selection).

Options:

A- It cannot be the same as the virtualization server address

B- It cannot be the same as the address of other servers on the Internet

C- It cannot be the same as the IP address of the server

D- Cannot be intertwined with the outgoing IP address of the FW

Answer:

A, C, D

Question 7

The Pv6 multicast address range is FE80::/10

Options:

A- TRUE

B- FALSE

Answer:

B

Question 8

The following describes the hot standby of the dual machine What are the wrong items? (multiple selection).

Options:

A- Under the condition that the firewall service interface works at Layer 2 and connects the router upstream and downstream It is recommended to use a staff-sharing network.

B- Under the condition that the firewall service interface works at Layer 2 and connects the switch upstream and downstream Support staff sharing networking

C- The firewall service interface works in the case of three-layer, uplink and downlink connection to the router You can use primary/standby networking.

D- The firewall service interface works under the networking condition of Layer 3, uplink and downlink connecting routers You cannot use load-sharing groups.

Answer:

B, D