



Free Questions for H13-621 by certscare

Shared by May on 29-01-2024

For More Free Questions and Preparation Resources

Check the Links on Last Page

Question 1

Question Type: MultipleChoice

When add LUN from S5000T configured asynchronous remote replication, Set the type to " timer wait begin at the same time " Timing length is 720 minutes " Assuming 10:00 start synchronization, Synchronization process takes 100 minutes, so what is the time for the start of the next synchronization?

Options:

A- 23:40:00

B- 22:00:00

C- next day at 11:40

D- next day at 10:00

Answer:

B

Question 2

Question Type: MultipleChoice

In the synchronous remote copy of storage array, if copy link break, will lead to the corresponding business interruption in host.

Options:

A- True

B- False

Answer:

A

Question 3

Question Type: MultipleChoice

Which of the following command can check kernel version information in linux system?

Options:

A- showname

B- uname -a

C- ls

D- linux-release

Answer:

B

Question 4

Question Type: MultipleChoice

For backup and disaster, what size of striping depth are recommended the common used?

Options:

A- 8K

B- 16K-128K

C- 64K

D- more than 64K

Answer:

D

Question 5

Question Type: MultipleChoice

About storage network management software, which description is wrong?

Options:

A- equipment management can manage storage array device

B- business management, business flow management

C- topology display, visual display device of the current topology connection status

D- DHA service management, hard disk health data/performance data

Answer:

A

Question 6

Question Type: MultipleChoice

How to troubleshooting whether there is impact performance of failure hard disk in storage system (slow)?

Options:

A- under CLI check RAID LUN state, whether if it is abnormal

B- in storage debug mode, through the command of `iostat --x --d 1` to check IO of storage system, the average service time of some disk (svctm) over a period of time is obviously more than other disk, %util is close to 100%, and other disk are free, can judge the hard disk performance

C- on host side check LUN IO state under multipath

D- check the link state in host side and ISM storage interface

Answer:

B

Question 7

Question Type: MultipleChoice

The failure of install multipath is mostly due to compatibility, which components mainly needs to consider compatible when install multipath? (Select three Answers)

Options:

- A- with OS specific version
- B- with HBA card
- C- server system hard disk drive
- D- with iSCSI initiator software

Answer:

A, B, D

Question 8

Question Type: MultipleChoice

Add target under the solaris system, the command of IP address: iscsiadm add discovery-address

Options:

A- True

B- False

Answer:

A

Question 9

Question Type: MultipleChoice

About HP-UX, which of the following is true: (Select three Answers)

Options:

- A- iscsiutil -l can be used to check initiator node name
- B- iscsiutil -i -N can be used to modify initiator node name
- C- iscsiutil -m -t -p can be used to add the IP address of the target device
- D- iscsiutil -pD can be used to verify the iscsi configuration

Answer:

A, B, D

Question 10

Question Type: MultipleChoice

If plan bank of SAN storage system, use to store customer orders and account information, please select the most appropriate level of RAID

Options:

- A- RAID 0
- B- RAID 1

C- RAID 10

D- RAID 5

Answer:

C

Question 11

Question Type: MultipleChoice

which level that MSCS cluster software reliability guarantee can belong to ?

Options:

A- network layer

B- operating system layer

C- hardware driver layer

D- file system layer

Answer:

B

Question 12

Question Type: MultipleChoice

ISM use JWS technology, JWS is mainly used to deploy the application through network, it is security, stability, easy maintenance and easy to use.

Options:

A- True

B- False

Answer:

A

To Get Premium Files for H13-621 Visit

<https://www.p2pexams.com/products/h13-621>

For More Free Questions Visit

<https://www.p2pexams.com/huawei/pdf/h13-621>

