

# Free Questions for 1Z0-435 by certscare

# Shared by Reynolds on 29-01-2024

# For More Free Questions and Preparation Resources

**Check the Links on Last Page** 

# **Question 1**

#### **Question Type:** MultipleChoice

Which two statements accurately describe managing users and roles for a BPM Suite application? (Choose two.)

### **Options:**

- A- Swimlane roles are created at design time by using Process Composer or BPM Studio.
- B- Application roles can be added by using WebLogic Console or WLST.
- C- The organization chart structure of users is visible in Business Process Workspace.
- D- You can associate an LDAP group with an application role in Business Process Workspace.

# Answer:

A, C

# **Question 2**

**Question Type:** MultipleChoice

You are testing a deployed BPM application. You start a process instance, but the processing does not proceed as you anticipated.

Where would you get the most actionable troubleshooting information about your BPM process?

### **Options:**

A- SOA server log file

- B- Business Process Workspace Process Tracking page
- C- WebLogic Console
- D- WebLogic Diagnostic Framework (WLDF)
- E- Enterprise Manager

### Answer:

### D

# **Question 3**

**Question Type:** MultipleChoice

Which statement describes how web forms are built?

A- Technical developers create web forms by using BPM Studio and then business analysts edit them by using BPM Process Composer.

**B-** Business analysts create web forms by using BPM Process Composer and then technical developers sometimes edit them by using BPM Composer.

C- End users create web forms by using BPM Process Workspace and then technical developers sometimes edit them by using BPM Process Composer.

**D-** Technical developers create web forms by using BPM Process Composer and then business analysts sometimes edit them by using BPM Studio.

Answer:		
D		

# **Question 4**

**Question Type:** MultipleChoice

Which objective can be accomplished by using business rules in workflow routing?

A- Create a new routing rule and invoke it immediately.

- B- Create new participants and make them available as targets for routing.
- C- Send a routing sleep back to the previous participant for a workflow stage that is associated with a group vote (parallel) scenario.
- **D-** Make a routing decision before the task is assigned to the next routing slip participant.

Answer:		
D		

# **Question 5**

**Question Type:** MultipleChoice

To assign a global unique identifier (GUID) to a variable, you use a(n) \_\_\_\_\_.

# **Options:**

A- simple expression

- **B-** XPath expression
- C- XSLT transformation
- D- call to a JavaScriot function

### Answer:

В

# **Question 6**

#### **Question Type:** MultipleChoice

Value chain models allow you to specify more details about a process area that may have been identified in an enterprise map. Which two statements are true about how the details are specified in a value chain model? (Choose two.)

### **Options:**

- A- A value chain model is the starting point for process decomposition in business architecture modeling.
- B- A step can be broken down into a separate value chain model to create a hierarchical group of value chain models.
- **C-** It documents goals, objectives, and strategies for a business area.

- **D-** A step can be linked to a BPMN process model.
- E- There is typically just one value chain model for an entire organization.

#### Answer:

В

# **Explanation:**

http://docs.oracle.com/middleware/1213/bpm/bp-composer-user/ba\_project\_bpmcu.htm#BPMCU99994 (4.1.2)

# **Question 7**

#### **Question Type:** MultipleChoice

What does the case engine use as the content store if a content management system is not specifically configured for case management?

# **Options:**

A- Oracle WebCenter Content

- B- a CMIS content store
- C- a file system

D- a database

Answer:			
D			

# **Explanation:**

Case Data: the data for the case stored in the BPM database.

https://docs.oracle.com/middleware/1213/bpm/bpm-develop/case\_mgmt\_bpmpd.htm#BPMPD87410

# **Question 8**

**Question Type:** MultipleChoice

What feature would you use if you want to step through a business process just to validate the flow, rules, and forms?

- A- Process Player
- **B-** Process Simulation
- C- Process Workspace
- D- BPMN Debugger

# Answer:

А

# **Question 9**

**Question Type:** MultipleChoice

During a simu-lation run, a simu-lation definition may be associated with \_\_\_\_\_\_.

# **Options:**

A- one what-if scenario for a single process

- B- multiple what-if scenarios for a single process
- C- multiple processes and one what-if scenario for each process
- D- multiple processes and multiple what-if scenarios for each process

### Answer:

### С

# **Question 10**

#### **Question Type:** MultipleChoice

Which human task pattern is best suited for a single approver scenario where the role is resolved through group membership? (Choose two.)

Options:		
A- User		
B- Group		
C- Initiator		

### D- FYI

E- Management

#### Answer:

А

# **Explanation:**

Single Approver: Use this option for a single user to act on a task. If the task is assigned to a role or group with multiple users, then one member must claim the task and act on it.

http://docs.oracle.com/cd/E28280\_01/user.1111/e15175/bpmug\_ws\_perform\_tasks.htm

# **Question 11**

### **Question Type:** MultipleChoice

Which two statements are accurate descriptions of how process data objects or project data objects are used? (Choose two.)

A- A process data object can be based on either a basic data type or a complex data type.

**B-** A process data object is associated with a module where it resides.

C- One of the main benefits of defining process data objects is that you can configure Business Process WorkSpace views to display their values.

D- Project data objects are not used to share data values between processes.

### Answer:

A, D

# **Explanation:**

Basic and complex data types can both be defined as either process or project data objects.

Although project data objects allow you to define data objects that are used by all processes in a project, they are not global data objects. Each process within your project uses its own version of the data object. Project data objects are not used to share data between processes. To share data between processes, you must create data associations.

# **Question 12**

Which two statements accurately explain how the Call activity behaves in a BPMN model? (Choose two.)

# **Options:**

A- When using a Call activity to invoke a reusable process, the data object values of the calling process are automatically made available to the called process.

- B- The Call activity can invoke a reusable process from within the current process
- C- If the process is to be invoked by a Call activity, the called process must start with one None Start Event.
- **D-** At a Call activity, the calling process does not wait until the called process or subprocess returns.

# Answer:

B, C

# **Explanation:**

The call activity allows you to call a reusable process from within the current process.

https://docs.oracle.com/middleware/1213/bpm/bp-composer-user/app\_bpmn\_ref\_bpmcu.htm#BPMCU87375

# **To Get Premium Files for 1Z0-435 Visit**

https://www.p2pexams.com/products/1z0-435

For More Free Questions Visit

https://www.p2pexams.com/oracle/pdf/1z0-435

