

# Free Questions for PSE-Cortex by certscare

Shared by Blackburn on 06-06-2022

For More Free Questions and Preparation Resources

**Check the Links on Last Page** 

## **Question 1**

**Question Type:** MultipleChoice

Given the exception thrown in the accompanying image by the Demisto REST API integration, which action would most likely solve the problem?



**Demisto REST API** ₽ ? × Demisto REST API\_instance\_1 Demisto Server URL \* https://127.0.0.1 Demisto Server API Key \*\*\*\*\*\*\* Trust any certificate (unsecure) User system proxy settings Do not use by default O Use single engine: No engine ▼

> ▲ Script failed to run: Demisto REST APIs -Request Failed. Status code: -1. Body: {"StatusCode":-1,"Status":"Get https://127.0.0.1/user: x509: cannot validate certificate for 127.0.0.1 because it doesn't contain any IP SANs","Cookies": [],"Body":"","Bytes":[],"Headers":{},"Path":""}. at sendRequest (script:59:23(79)) (2603)

Use Load-Balancing Group 👩

Which two playbook functionalities allow looping through a group of tasks during playbook execution? (Choose two.)

### **Options:**

- A- Generic Polling Automation Playbook
- **B-** Playbook Tasks
- C- Sub-Play books
- **D-** Playbook Functions

#### **Answer:**

A, C

### **Question 2**

**Question Type:** MultipleChoice

In an Air-Gapped environment where the Docker package was manually installed after the Cortex XSOAR installation which action allows Cortex XSOAR to access Docker?

0	n	ti	O	n	S	•
	M	•	$\mathbf{}$		$\mathbf{\mathbf{U}}$	

- A- create a "docker" group and add the 'Cortex XSOAR' or 'demisto' user to this group
- B- create a 'Cortex XSOAR' or 'demisto' group and add the 'docker' user to this group
- C- disable the Cortex XSOAR service
- D- enable the docker service

#### **Answer:**

Α

### **Question 3**

**Question Type:** MultipleChoice

How does DBot score an indicator that has multiple reputation scores?

#### **Options:**

A- uses the most severe score scores

B- the reputation as undefined
C- uses the average score
D- uses the least severe score
Answer:
A
Question 4
Question Type: MultipleChoice
Which task allows the playbook to follow different paths based on specific conditions?
Options:
A- Conditional
B- Automation
C- Manual

D- Parallel

-					
Λ	n	C	NA/		P =
М		J	VV	C	r:

Α

### **Question 5**

**Question Type:** MultipleChoice

Which option describes a Load-Balancing Engine Group?

#### **Options:**

- A- A group of engines that use an algorithm to efficiently share the workload for integrations
- B- A group of engines that ensure High Availability of Demisto backend databases.
- C- A group of engines that use an algorithm to efficiently share the workload for automation scripts
- D- A group of D2 agents that share processing power across multiple endpoints

#### **Answer:**

С

### **Question 6**

#### **Question Type:** MultipleChoice

A prospect has agreed to do a 30-day POC and asked to integrate with a product that Demisto currently does not have an integration with. How should you respond?

#### **Options:**

- A- Extend the POC window to allow the solution architects to build it
- B- Tell them we can build it with Professional Services.
- C- Tell them custom integrations are not created as part of the POC
- D- Agree to build the integration as part of the POC

#### **Answer:**

C

### **Question 7**

**Question Type:** MultipleChoice

How do sub-playbooks affect the Incident Context Data?

#### **Options:**

- A- When set to private, task outputs do not automatically get written to the root context
- B- When set to private, task outputs automatically get written to the root context
- C- When set to global, allows parallel task execution.
- D- When set to global, sub-playbook tasks do not have access to the root context

#### **Answer:**

Α

### **To Get Premium Files for PSE-Cortex Visit**

https://www.p2pexams.com/products/pse-cortex

### **For More Free Questions Visit**

https://www.p2pexams.com/palo-alto-networks/pdf/pse-cortex

