



**Free Questions for C\_HANAIMP\_18 by certscare**

**Shared by Weiss on 12-12-2023**


**For More Free Questions and Preparation Resources**

**Check the Links on Last Page**

# Question 1

Question Type: MultipleChoice

You are building a new calculation view A that uses calculation view B, as shown in the diagram. When you preview the calculation view A, the Account Number is not masked.



What could be the reason?

Options:

- A- You previewed the data with the technical user in SAP Web IDE for SAP HANA.
- B- You did not define masking in calculation view A.
- C- The UNMASKED privilege for calculation view A has been granted.
- D- Analytic privilege \_SYS\_BI\_CP\_ALL has been assigned.

**Answer:**

---

B

## Question 2

---

**Question Type:** MultipleChoice

---

You set the Null Handling property for an attribute but do not set a default value. What is displayed when null values are found in a column of data type NVARCHAR?

**Options:**

---

A- '?'

B- 'Null'

C- '0'

D- <empty string>

**Answer:**

---

D

## Question 3

---

**Question Type: MultipleChoice**

---

In a calculation view, what is the purpose of a variable?

**Options:**

---

A- To provide a dynamic value in a calculated column

B- To break up complex SQL into smaller steps

C- To filter an attribute at run-time based on a user input

D- To pass values between procedures and calculation views

**Answer:**

---

C

## Question 4

---

**Question Type: MultipleChoice**

---

You have defined a pruning configuration table in a calculation view. What are you attempting to prune from the query execution?

**Options:**

---

**A-** Data sources of unions

**B-** Joins

**C-** Filters

**D-** Calculated columns

**Answer:**

---

A

## Question 5

---

**Question Type:** MultipleChoice

---

What can you do with shared hierarchies?Note: There are 2 correct answers to this question.

### Options:

---

- A- Enable SQL SELECT statements to access hierarchies
- B- Provide reusable hierarchies for drilldown in a CUBE with star join
- C- Access hierarchies created in external schemas
- D- Provide reusable hierarchies for drilldown in a CUBE without star join

### Answer:

---

A, B

## Question 6

---

**Question Type:** MultipleChoice

---

Why do you use the Hidden Columns checkbox in the semantics node of your calculation view?Note: There are 2 correct answers to this question.

**Options:**

---

- A-** To ensure specific columns are NOT exposed to the reporting tool
- B-** To avoid exposing sensitive columns when defining calculated columns
- C-** To prevent passing columns in stacked calculation views
- D-** To remove a column that is also used as a Label column

**Answer:**

---

A, D

## Question 7

---

**Question Type: MultipleChoice**

---

Which of the following are capabilities of SAP HANA smart data access?Note: There are 2 correct answers to this question.

**Options:**

---

- A- Replication of remote data
- B- Push-down of queries to remote data sources
- C- Exposure of real-time data from remote tables
- D- Cleansing and harmonization of data from disparate sources

**Answer:**

---

B, C

## Question 8

---

**Question Type: MultipleChoice**

---

Why would you develop an SQL procedure instead of a function?Note: There are 3 correct answers to this question.

**Options:**

---

- A- You want to create a dynamic analytic privilege.



- B-** A temporary table must be created within the code.
- C-** Optimal performance is a priority.
- D-** The code should modify data in a table.
- E-** You need to use conditional logic.

**Answer:**

---

A, B, D

**To Get Premium Files for C\_HANAIMP\_18 Visit**

[https://www.p2pexams.com/products/c\\_hanaimp\\_18](https://www.p2pexams.com/products/c_hanaimp_18)

**For More Free Questions Visit**

<https://www.p2pexams.com/sap/pdf/c-hanaimp-18>

