



Free Questions for [SPLK-2001](#) by [certscare](#)

Shared by [Harrell](#) on [15-04-2024](#)

For More Free Questions and Preparation Resources

[Check the Links on Last Page](#)

Question 1

Question Type: MultipleChoice

When output_mode is not used, which element of a feed is a human readable name for a returned entry?

Options:

A- Author

B- Title

C- Link

D- Id

Answer:

B

Question 2

Question Type: MultipleChoice

When added to an app's default.meta file, which of the following makes one of its views available to other apps?

Options:

- A- export = app
- B- export = none
- C- export = view
- D- export = system

Answer:

D

Question 3

Question Type: MultipleChoice

Which of the following are true of auto-refresh for dashboard panels? (Select all that apply.)

Options:

- A- Applies to inline searches and saved searches.
- B- Enabling auto-refresh for a report requires editing XML.
- C- Post-processing searches are refreshed when their base searches are refreshed.
- D- Each post-processing search using the same base search can have a different refresh time.

Answer:

B, C

Question 4

Question Type: MultipleChoice

Which of the following is an example of a valid syntax for specifying an absolute time range modifier in a search?

Options:

- A- earliest=01/01/2019:00:00:00

B- earliest=01/01/2019T00:00:00

C- earliest=2019-01-01 00:00:00

D- earliest=2019-01-01T00:00:00

Answer:

A

Question 5

Question Type: MultipleChoice

Given the following two files defining app navigation, which navigation options will be displayed to the end user? (Select all that apply.)

`$SPLUNK_HOME/etc/apps/app_name/default/data/ui/nav/default.xml`

`$SPLUNK_HOME/etc/apps/app_name/local/data/ui/nav/default.xml`

Options:

A- Search

B- Reports

C- Datasets

D- Dashboards

Answer:

B, C

Question 6

Question Type: MultipleChoice

How can hiding or showing a panel by clicking on a chart or a table on the same form be performed?

Options:

- A- By using vent drilldown.
- B- By using workflow action.
- C- By using contextual drilldown.
- D- By using visualization drilldown.

Answer:

D

Question 7

Question Type: MultipleChoice

Which of the following is an example of a Splunk KV store use case? (Select all that apply.)

Options:

- A- Stores checkpoint data for modular inputs.
- B- Tracks workflow in an incident-review system.

- C- Indexes metrics data from remote HTTP sources.
- D- Stores application state as a user interacts with an app.

Answer:

A, B

Question 8

Question Type: MultipleChoice

Which type of command is tstats?

Options:

- A- Generating
- B- Transforming
- C- Centralized streaming
- D- Distributable streaming

Answer:

A

Question 9

Question Type: MultipleChoice

Which statements are true regarding HEC (HTTP Event Collector) tokens? (Select all that apply.)

Options:

- A-** Multiple tokens can be created for use with different sourcetypes and indexes.
- B-** The edit token http admin role capability is required to create a token.
- C-** To create a token, send a POST request to services/collector endpoint.
- D-** Tokens can be edited using the data/inputs/http/{tokenName} endpoint.

Answer:

A, C

To Get Premium Files for SPLK-2001 Visit

<https://www.p2pexams.com/products/splk-2001>

For More Free Questions Visit

<https://www.p2pexams.com/splunk/pdf/splk-2001>

