



**Free Questions for ACE-A1.2 by certsdeals**

**Shared by Levy on 20-10-2022**

**For More Free Questions and Preparation Resources**

**Check the Links on Last Page**

# Question 1

---

## Question Type: MultipleChoice

---

What can you assume about Ethernet1 in this output from a 7150-24 that have been configured with the tap aggregation mode exclusive command?

```
Student-1#sho int status
```

Port	Name	Status	Vlan	Duplex	Speed	Type
Et1		errdisabled	1	full	40G	10GBASE-SRL
Et2		errdisabled	1	full	10G	10GBASE-SRL
Et3		errdisabled	1	full	10G	10GBASE-SRL
Et4		errdisabled	1	full	10G	10GBASE-SRL

### Options:

---

- A- Ethernet1 is broken.
- B- Ethernet1 has a QSPF interface.
- C- Ethernet1 is an Agile Port.
- D- Ethernet1 will not work with Tap Agg.

**Answer:**

---

B

## Question 2

---

**Question Type:** MultipleChoice

---

With two switches in an MLAG domain, which of the following commands is a legitimate way to make interfaces on one of the peers part of mlag 43?

**Options:**

---

- A- Peer-1(config-if-Po43) #mlag 43
- B- Peer-1(config-if-Et43) #mlag 43
- C- Peer-1(config-if-Vl43) #mlag 43
- D- There can only be 32 MLAGs on a switch, so MLAG 43 is impossible.

**Answer:**

---

A

## Question 3

---

**Question Type:** MultipleChoice

---

True or False; you should disable Spanning-Tree on the Arista MLAG peer link VLAN?

**Options:**

---

**A-** FALSE

**B-** TRUE

**Answer:**

---

B

## Question 4

---

**Question Type:** MultipleChoice

---

What physical interface is always a layer-3 interface on an Arista switch?

**Options:**

---

- A- The USB1: port
- B- The console
- C- The management interface
- D- This question makes no sense

**Answer:**

---

C

## Question 5

---

**Question Type: MultipleChoice**

---

Which of the following are valid commands on EOS 4.14? (Choose three.)

**Options:**

---

- A- show run all

- B- show run diffs
- C- show run sanitized
- D- show run section <regex>

**Answer:**

---

A, B, C

## Question 6

---

**Question Type:** MultipleChoice

---

Arista Switches employ which of the following?

**Options:**

---

- A- Merchant silicon ASICs
- B- Custom ASICs
- C- Both
- D- Arista switches do not use ASICs

**Answer:**

---

A

## Question 7

---

**Question Type: MultipleChoice**

---

What is the VXLAN equivalent to a VLAN ID?

**Options:**

---

**A-** VTEP

**B-** VNI

**C-** VTP

**D-** VXLAN

**Answer:**

---

B

## Question 8

---

**Question Type:** MultipleChoice

---

VMTracer requires which of the following?

### Options:

---

- A- Root-level access to vCenter.
- B- Read-level access to vCenter.
- C- Read/write-level access to vCenter.
- D- VMTracer does not require a username on vCenter.

### Answer:

---

A



**To Get Premium Files for ACE-A1.2 Visit**

**<https://www.p2pexams.com/products/ace-a1.2>**

**For More Free Questions Visit**

**<https://www.p2pexams.com/arista/pdf/ace-a1.2>**

