Question 1

Question Type: MultipleChoice

Which of the below objects can you assign in a notification item? Note: There are 2 correct answers to this question

Options:

A- Only one object part

B- One or more causes of damage.

C- Only one cause of damage

D- One or more object parts

Answer:

B, D

Question 2

Question Type: MultipleChoice

The maintenance technician wants to document work steps for a technical object in a notification. What are the best options to be used in regard to code-based reporting? Note: There are 2 correct answers to this question?

Options:

A- A text in the subject long text screen

B- An entry in the object list

C- A task in the notification item

D- An activity in the notification header

Answer:

C, D

Question 3

Question Type: MultipleChoice

What do you have to consider when setting up the refurbishment process?

Options:

A- Assign valuation type C to the order type.

B- Assign a view profile for refurbishment to the order type.

C- Assign a stock determination rule to the PM order type

D- Mark the order type for refurbishment in customizing.

Answer:

D

Question 4

Question Type: **MultipleChoice**

You want to have several plan dates calculated in a maintenance plan.Which scheduling parameter do you use?

Options:

A- Scheduling indicator

B- Scheduling period

C- End Date for Scheduling

D- Call horizon

Answer:

B

Question 5

Question Type: MultipleChoice

You cancel the technical completion of a work order. What are the effects? Note: There are 2 correct answers to this question?

Options:

A- Open reservations are recompiled.

B- Open purchase requisitions are recompiled

C- Referenced notifications are put in Process again.

D- Open purchase orders are recompiled.

Answer:

A, B

Question 6

Question Type: MultipleChoice

Which views can you assign to an equipment category via a view profile? Note: There are 2 correct answers to this question?

Options:

A- Warranty

B- Configuration

C- Serial data

D- Manufacturer data

Answer:

A, D

Question 7

You want to assign components to a General Maintenance Task List. What are prerequisites for assigning material components to a task list operation? Note: There are 2 correct answers to this question

Options:

A- Assign the header material of a material BOM as assembly to a task list operation.

B- Assign the BOM usage for free assignment of material in Customizing

C- Assign the header material of a material ROM to the assembly field of the task list header

D- Assign a piece of equipment with allocated material BOM to a task list operation.

Answer:

A, B

Question 8

What are valid item categories for a BOM used in Asset Management? Note: There are 3 correct answers to this question.

Options:

A- D (Document item)

B- I (PM Structure element)

C- F (Functional location)

D- L (Stock item)

E- E (Equipment)

Answer:

A, B, D

Question 9

Question Type: MultipleChoice

What do you have to consider when implementing UI technologies in SAP S/4HANA Asset Management? Note: There are 2 correct answers to this question

Options:

A- Web Dynpro apps can be used in the SAP Fiori Launchpad.

B- SAP Fiori Launchpad supports only SAPUIS apps.

C- SAP GUI for HTML can be used in the SAP Fiori Launchpad.

D- The cloud version can also use SAP GUI for Windows.

Answer:

A, C