



**Free Questions for [C\\_TADM\\_23](#) by [certsdeals](#)**

**Shared by [Schultz](#) on [15-04-2024](#)**

**For More Free Questions and Preparation Resources**

**[Check the Links on Last Page](#)**

## Question 1

---

**Question Type:** MultipleChoice

---

You are updating an AS Java-based SAP system. Which actions can Software Update Manager execute? Note: There are 2 correct answers to this question.

### Options:

---

- A- Lock the development environment
- B- Update without using a stack configuration file (stack xml file)
- C- Update SAP Host Agent
- D- Check the archives' authenticity

### Answer:

---

A, D

## Question 2

---

**Question Type:** MultipleChoice

---

The SAP Fiori launchpad is working for your users. How can you enable access to the SAP Easy Access menu for them in the app finder? Note: There are 2 correct answers to this question.

### Options:

---

- A-** By providing an HTTP destination type H named FIORI\_CLASSICUI\_HTTPS (transaction SM59)
- B-** By applying the correct settings in the SAP Fiori launchpad configuration (transaction /UI2/FLP\_SYS\_CONF or /UI2/FLP\_CUS\_CONF)
- C-** By assigning the correct target mappings, shipped via catalog /UI2/CLASSICAL\_GUI\_MENU
- D-** By assigning the authorization to start transaction SEARCH\_SAP\_MENU

### Answer:

---

B, C

## Question 3

---

### Question Type: MultipleChoice

---

Which parameters are mandatory when using the HDBLCM tool to install the SAP HANA database system in batch mode? Note: There are 2 correct answers to this question.

**Options:**

---

- A- Installation path
- B- SAP HANA System ID (SID)
- C- Data and log path
- D- Password of user sapadm

**Answer:**

---

B, D

## Question 4

---

**Question Type: MultipleChoice**

---

You are installing an SAP S/4HANA Server 1909 system, using s4xhost as application server host and haxhost as database host. Which actions can Software Provisioning Manager (SWPM) perform? Note: There are 3 correct answers to this question.

**Options:**

---

- A- Set database import parameters for the database running on haxhost
- B- Copy the database installation media from s4xhost to haxhost
- C- Install the Central Service instance on s4xhost
- D- Install the database on haxhost
- E- Copy the database backup media from s4xhost to haxhost

**Answer:**

---

A, B, C

## Question 5

---

**Question Type:** MultipleChoice

---

You are using a standard three system landscape, DEV, QAS, and PRD. When will a change of a repository object in the QAS system be treated as correction?

**Options:**

---

- A- If the object was created in DEV and transported to QAS via a transport of copies.

- B-** If the object's name is in the SAP name range.
- C-** If the object was created in DEV and transported to QAS via a workbench request.
- D-** If the original system of the object is QAS.

**Answer:**

---

B

## Question 6

---

**Question Type:** MultipleChoice

---

Which of the following protocols is SAP's RFC protocol based on? Note: There are 2 correct answers to this question.

**Options:**

---

- A-** OLE
- B-** TCP/IP
- C-** CPI-C
- D-** http

**Answer:**

---

B, D

## Question 7

---

**Question Type:** MultipleChoice

---

Which tasks can you perform when using the SAP HANA database lifecycle manager (HDBLCM) from the SAP HANA installation media? Note: There are 2 correct answers to this question.

**Options:**

---

- A- Rename the SAP HANA database system.
- B- Extract the SAP HANA database system components.
- C- Uninstall the SAP HANA database system and its components.
- D- Update the SAP HANA database system and its components

**Answer:**

---

B, D

## Question 8

---

### Question Type: MultipleChoice

---

Which characteristics describe an SAP HANA multitenant database container (MDC) system? Note:

There are 3 correct answers to this question.

#### Options:

---

- A- The name server provides index server functionality for the system database.
- B- Database isolation increases the isolation between tenant databases on operating system level.
- C- Each tenant database runs its own compile server and the preprocessor server.
- D- The name server owns information about the location of tables and table partitions in databases.
- E- A multitenant database container system is identified by a single system ID (SID).

#### Answer:

---

A, B, E

## Question 9

---



**Question Type: MultipleChoice**

---

In which situations can you resume the failed recovery of your productive SAP HANA tenant database? Note: There are 2 correct answers to this question.

**Options:**

---

- A- An aborted recovery of the configuration files
- B- An aborted recovery of a complete data backup
- C- An aborted recovery of a delta data backup
- D- An aborted recovery of a log backup

**Answer:**

---

C, D

## Question 10

---

**Question Type: MultipleChoice**

---

You are configuring outbound e-mails for an AS ABAP-based SAP system. What can you use to set

the default domain?

**Options:**

---

- A- Report RSADRCK7
- B- Profile parameter is/SMTP/virt\_host\_<x>
- C- Transaction SCOT
- D- File DOMAIN.CFG

**Answer:**

---

C

## Question 11

---

**Question Type: MultipleChoice**

---

For an SAP HANA tailored datacenter integration (TDI) approach, what is the additional disk space factor required during delta merge operations?

**Options:**

---

A- 2

B- 3

C- 1.6

D- 1.2

**Answer:**

---

D

**To Get Premium Files for C\_TADM\_23 Visit**

**[https://www.p2pexams.com/products/c\\_tadm\\_23](https://www.p2pexams.com/products/c_tadm_23)**

**For More Free Questions Visit**

**<https://www.p2pexams.com/sap/pdf/c-tadm-23>**

