



Free Questions for JN0-105 by certsdeals

Shared by Boyle on 15-04-2024

For More Free Questions and Preparation Resources

Check the Links on Last Page

Question 1

Question Type: MultipleChoice

What is a benefit of using J-Web?

Options:

- A- It simultaneously manages multiple devices.
- B- It provides a customizable dashboard.
- C- It provides more advanced features than the CLI.
- D- It provides console-based management.

Answer:

B

Explanation:

If you've committed a configuration and then need to revert to the previous configuration, the rollback command is used. Since the incorrect IP address has not been committed, as indicated by the commit check command being successful, issuing rollback 1 will undo the changes made in the current session, which includes the accidental entry of the IP address.

Question 2

Question Type: MultipleChoice

Exhibit

[edit]

```
user@router1 set interfaces ge-0/1/2 unit 0 family inet address 172.16.101.1/24 [edit]
```

```
user@router# commit check
```

```
configuration check succeeds
```

[edit]

```
user@router#
```

You need to configure interface ge-0/1/2 with an IP address of 172.16.100.1/24. You have accidentally entered 172.16.101.1/24 as shown in the exhibit.

Which command should you issue to solve the problem?

Options:

- A- (edit) user@router# rollback 1
- B- [edit] user@router# rollback 2
- C- [edit] user@router# rollback 0
- D- [edit] user@router# rollback rescue

Answer:

A

Explanation:

If you've committed a configuration and then need to revert to the previous configuration, the rollback command is used. Since the incorrect IP address has not been committed, as indicated by the commit check command being successful, issuing rollback 1 will undo the changes made in the current session, which includes the accidental entry of the IP address.

Question 3

Question Type: MultipleChoice

You are trying to diagnose packet loss at interface ge-0/0/3.

In this scenario, which command would help you view error statistics in real time?

Options:

- A- show interface terse
- B- show interface ge-0/0/3
- C- monitor interface traffic
- D- monitor interface ge-0/0/3

Answer:

D

Explanation:

The monitor interface ge-0/0/3 command is used in Junos OS to view real-time statistics for a specific interface. This command helps in diagnosing issues like packet loss by displaying real-time updates of traffic and error statistics for the specified interface.

Question 4

Question Type: MultipleChoice

What are two methods for navigating to configuration mode from an operational mode prompt? (Choose two.)

Options:

- A- Use the edit command.
- B- Use the quit command.
- C- Use the exit command.
- D- Use the configure command.

Answer:

A, D

Explanation:

In Junos OS, to navigate from operational mode to configuration mode, you can use either the edit or configure command. Both commands move the CLI from operational mode, where you can view the state of the device, to configuration mode, where you can make changes to the device's configuration.

Question 5

Question Type: MultipleChoice

Which service does RADIUS provide?

Options:

A- routing

B- authentication

C- DNS resolution

D- time synchronization

Answer:

B

Explanation:

RADIUS, which stands for Remote Authentication Dial-In User Service, provides authentication services for users trying to access a network. It is a networking protocol that provides centralized Authentication, Authorization, and Accounting (AAA) management for users who connect and use a network service.

Question 6

Question Type: MultipleChoice

Exhibit

```
user@router> show route 192.168.36.1
```

```
inet.O: 5 destinations, 6 routes (5 active, 0 holddown, 0 hidden) + = Active Route, - = Last Active, * = Both
```

```
192.168.36.1/32 *[Static/5] 00:00:31
```

```
> to 10.1.1.2 via ge-0/0/10.0 [OSPF/IO] 00:02:21, metric 1 > to 10.1.1.2 via ge-0/0/10.0
```

Referring to the exhibit, which route(s) will be selected by Junos for packet forwarding?

Options:

- A- The OSPF route will be selected.
- B- The static route will be selected.
- C- The Junos OS randomly selects one route.
- D- The Junos OS selects both routes.

Answer:

B

Explanation:

Junos OS selects routes based on the route preference (also known as administrative distance). Static routes typically have a lower route preference than OSPF routes, meaning they are more preferred. Since the static route to 192.168.36.1/32 is shown with a preference of 5, it will be selected over the OSPF route for packet forwarding, assuming no other factors such as route filters or policies affect the routing decision.

Question 7

Question Type: MultipleChoice

What are two physical interface properties? (Choose two.)

Options:

- A-** MAC address
- B-** IP address
- C-** routing protocols
- D-** MTU

Answer:

A, D

Explanation:

Two physical interface properties in Junos OS include the MAC address (A) and the Maximum Transmission Unit (MTU) size (D). The MAC address is a hardware identifier for the network interface, while the MTU size determines the largest packet size that the interface can transmit without needing to fragment the packet.

To Get Premium Files for JN0-105 Visit

<https://www.p2pexams.com/products/jn0-105>

For More Free Questions Visit

<https://www.p2pexams.com/juniper/pdf/jn0-105>

