

Free Questions for LFCS by certsdeals

Shared by Wheeler on 12-12-2023

For More Free Questions and Preparation Resources

Check the Links on Last Page

Question 1

Question Type: MultipleChoice

Which of the following commands preloads and manages keys that are used for automatic authentication while logging in to other machines using SSH?

Options:

- A- sshd
- B- ssh-agent
- C- ssh-keygen
- D- ssh-add

Answer:

В

Question 2

Question Type: FillInTheBlank

Which file contains a set of services and hosts that will be allowed to connect to the server by going through a TCP Wrapper program such as tcpd? (Specify the full name of the file, including path.)https://lh3.googleusercontent.com/-5cd-clmKnbk/AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
Answer:
Question 3
Question Type: FillInTheBlank
Which file lists which users can execute commands using sudo? (Specify the full name of the file, including path.)
Answer:
Question 4
Question Type: FillInTheBlank

Which directory holds the files that configure the xinetd service when using several configuration files instead of an integrated configuration file? (Specify the full path to the directory.)

Answer:

Question 5

Question Type: MultipleChoice

Which of the following find commands will print out a list of files owned by root and with the SUID bit set in /usr?

Options:

- A- find /usr -uid 0 -perm +4000
- B- find -user root +mode +s /usr
- C- find -type suid -username root -d /usr
- D- find /usr -ls *s* -u root

E- find /usr -suid -perm +4000	
Answer:	
A	
Question 6	
Question Type: MultipleChoice	
Which command is used to set restrictions on the size of a core file that is created for a user when a program crashes?	
Options:	
A- core	
B- edquota	
C- ulimit	
D- quota	
Answer:	

Question 7

Question Type: MultipleChoice

Which of the following find commands will print out a list of files owned by root and with the SUID bit set in /usr?

Options:

- A- find /usr -uid 0 -perm +4000
- B- find -user root +mode +s /usr
- C- find -type suid -username root -d /usr
- D- find /usr -ls *s* -u root
- E- find /usr -suid -perm +4000

Answer:

Α

Question 8

Question Type: FillInTheBlank

Answer:

Question 9

Question Type: MultipleChoice

How can the current directory and its subdirectories be searched for the file named MyFile.xml?

Options:

A- find . -name MyFile.xml

- B- grep MyFile.xml | find
- C- grep -r MyFile.xml .
- D- less MyFile.xml
- E- search Myfile.xml ./

Answer:

Α

To Get Premium Files for LFCS Visit

https://www.p2pexams.com/products/lfcs

For More Free Questions Visit

https://www.p2pexams.com/linux-foundation/pdf/lfcs

