



**Free Questions for 010-160 by certsdeals**

**Shared by Parsons on 12-12-2023**

**For More Free Questions and Preparation Resources**

**Check the Links on Last Page**

## Question 1

---

**Question Type:** MultipleChoice

---

Which of the following statements is true about Free Software?

### Options:

---

- A- It is developed by volunteers only.
- B- It may be modified by anyone using it.
- C- It must always be available free of charge.
- D- It only runs on Linux.
- E- It is only distributed as a compiled binary.

### Answer:

---

B

## Question 2

---

**Question Type:** MultipleChoice

---

Which of the following Linux Distributions is derived from Red Hat Enterprise Linux?

**Options:**

---

- A- Raspbian
- B- openSUSE
- C- Debian
- D- Ubuntu
- E- CentOS

**Answer:**

---

E

## Question 3

---

**Question Type:** MultipleChoice

---

Which of the following programs are web servers? (Choose two.)

**Options:**

---

A- Apache HTTPD

B- Postfix

C- Curl

D- Dovecot

E- NGINX

**Answer:**

---

A, E

## Question 4

---

**Question Type: MultipleChoice**

---

Which one of the following statements concerning Linux passwords is true?

**Options:**

---

- A- All passwords can be decrypted using the system administrator's master password.
- B- Passwords may never start with a non-letter.
- C- Users cannot change their password once it has been set.
- D- Passwords are only stored in hashed form.
- E- Passwords may be at most six characters long.

**Answer:**

---

D

## Question 5

---

**Question Type:** MultipleChoice

---

What is the return value of a shell script after successful execution?

**Options:**

---

A- 1

B- 0

C- -1

D- -255

E- 255

**Answer:**

---

B

## Question 6

---

**Question Type:** MultipleChoice

---

The file script.sh in the current directory contains the following content:

```
#!/bin/bash echo $MYVAR
```

The following commands are used to execute this script:

```
MYVAR=value
```

```
./script.sh
```

The result is an empty line instead of the content of the variable MYVAR. How should MYVAR be set in order to make script.sh display the content of MYVAR?

## Options:

---

A- !MYVAR=value

B- env MYVAR=value

C- MYVAR=value

D- \$MYVAR=value

E- export MYVAR=value

## Answer:

---

E

**To Get Premium Files for 010-160 Visit**

**<https://www.p2pexams.com/products/010-160>**

**For More Free Questions Visit**

**<https://www.p2pexams.com/lpi/pdf/010-160>**

