



Free Questions for 1Z0-808 by certsdeals

Shared by Haney on 20-10-2022

For More Free Questions and Preparation Resources

Check the Links on Last Page

Question 1

Question Type: MultipleChoice

Given the code fragment:

```
abstract class Robot implements Speakable {
    public void process();
}

class Humanoid extends Robot {
    public void speak(String s) { System.out.println(s); }
    public void process() { System.out.println("Helping... "); }
}

interface Speakable {
    public void speak(String s);
}

public class RobotApp{
    public static void main(String[] args) {
        Robot r = new Humanoid();
        r.process();
        r.speak("Done");
    }
}
```

Which action enables the code to print Helping... Done?

Options:

A- replace class Humanoid extends Robot {

with abstract class Humanoid extends Robot {

B- replace interface Speakable {

with abstract class Speakable

C- replace public void process();

with public abstract void process();

D- replace abstract class Robot implements Speakable {

with class Robot extends Speakable {

Answer:

C

Question 2

Question Type: MultipleChoice

Given the definitions of the Bird class and the Peacock class:

```
public class Bird {
    public void fly() {
        System.out.print ("Fly.");
    }
}

public class Peacock extends Bird {
    public void dance() {
        System.out.print ("Dance.");
    }
}
```

and the code fragment:

```
/*insert code snippet here */
p.fly();
p.dance();
```

Which code snippet can be inserted to print Fly.Dance. ?

Options:

- A- Bird p = new Peacock();
- B- Bird b = new Bird();Peacock p = (Peacock) b;
- C- Peacock b = new Peacock ();Bird p = (Bird) b;

D- Bird b = new Peacock ();Peacock p = (Peacock) b;

Answer:

B

Question 3

Question Type: MultipleChoice

Given the code fragment:

```
10. public static void main(String[] args {
11.     List<String> lst = Arrays.asList("A", "B", "C", "D");
12.     Iterator<String> itr = lst.iterator();
13.     while(itr.hasNext()) {
14.         String e = itr.next();
15.         if (e == "C") {
16.             break;
17.         }
18.         else {
19.             continue;
20.             System.out.print(e);
21.         }
22.     }
23. }
```

Which action enables it to print AB?

Options:

- A- Comment lines 18 to 21.
- B- Comment line 20.
- C- Comment line 19.
- D- Comment line 16.

Answer:

B

Question 4

Question Type: MultipleChoice

Given:

```
public class Test {
    public static void main(String[] args) {
        Test ts = new Test();
        System.out.print(isAvailable + " ");
        isAvailable= ts.doStuff();
        System.out.println(isAvailable);
    }
    public static boolean doStuff() {
        return !isAvailable;
    }
    static boolean isAvailable = true;
}
```

What is the result?

Options:

A- Compilation fails.

B- false true

C- true false

D- true true

E- false false

Answer:

C

Question 5

Question Type: MultipleChoice

Given the definitions of the MyString class and the Test class:


```
package p1;
class MyString {
    String msg;
    MyString(String msg) {
        this.msg = msg;
    }
}
```

Test.java:

```
package p1;
public class Test {
    public static void main(String[] args) {
        System.out.println("Hello " + new StringBuilder("Java SE 8"));
        System.out.println("Hello " + new MyString("Java SE 8").msg);
    }
}
```

What is the result?

A

```
Hello Java SE 8  
Hello Java SE 8
```

B

```
Hello java.lang.StringBuilder@<<hashcode1>>  
Hello pl.MyString@<<hashcode2>>
```

C

```
Hello Java SE 8  
Hello pl.MyString@<<hashcode>>
```

D Compilation fails at the Test class

Options:

A- Option A

B- Option B

C- Option C

D- Option D

E- Option E

Answer:

D

Question 6

Question Type: MultipleChoice

Given these classes:

```
public class Employee {
    public int salary;
}

public class Manager extends Employee {
    public int budget;
}

public class Director extends Manager {
    public int stockOptions;
}
```

And given this main method:

```
public static void main(String[] args) {
    Employee employee = new Employee();
    Employee manager = new Manager();
    Employee director = new Director();
    //line n1
}
```

Which two options compile when placed at line n1 of the main method? (Choose two.)

Options:

- A- director.stockOptions = 1_000;
- B- employee.salary = 50_000;
- C- manager.budget = 1_000_000;
- D- manager.stockOption = 500;
- E- employee.budget = 200_000;
- F- director.salary = 80_000;

Answer:

B, F

Question 7

Question Type: MultipleChoice

Given the code fragment:

```
1. abstract class Planet {
2.     protected void revolve() {
3.     }
4.     abstract void rotate();
5. }
6.
7. class Earth extends Planet {
8.     private void revolve() {
9.     }
10.    private void rotate() {
11.    }
12. }
```

Which two modifications enable the code to compile?

Options:

- A- Make the method at line 8 protected.
- B- Make the method at line 8 public.
- C- Make the method at line 10 protected.
- D- Make the method at line 4 public.
- E- Make the method at line 2 public.

Answer:

A, C

Question 8

Question Type: MultipleChoice

Which three statements are true about the structure of a Java class? (Choose three.)

Options:

- A-** A class cannot have the same name as its field.
- B-** A public class must have a main method.
- C-** A class can have final static methods.
- D-** A class can have overloaded private constructors.
- E-** Fields need to be initialized before use.
- F-** Methods and fields are optional components of a class.

Answer:

B, D, E

Question 9

Question Type: MultipleChoice

Given this code for the classes MyException and Test:

```
public class MyException extends RuntimeException {}

public class Test {
    public static void main(String[] args) {
        try {
            method1();
        }
        catch (MyException ne) {
            System.out.print("A");
        }
    }
    public static void method1() { // line n1
        try {
            throw 3 > 10 ? new MyException() : new IOException();
        }
        catch(IOException ie) {
            System.out.println("I");
        }
        catch (Exception re) {
            System.out.print("B");
        }
    }
}
```

What is the result?

Options:

A- A

B- AB

C- A compile time error occurs at line n1.

D- B

E- I

Answer:

C

Question 10

Question Type: MultipleChoice

Given the code snippet from a compiled Java source file:

```
public class MyFile
{
    public static void main (String[] args)
    {
        String arg1 = args[0];
        String arg2 = args[1];
        String arg3 = args[2];
        System.out.println("Arg is " + arg3);
    }
}
```

and this output:

```
Arg is 2
```

Which command should you run to obtain this output?

Options:

- A- java MyFile 2
- B- java MyFile 1 2 3 4
- C- java MyFile 1 2 2
- D- java MyFile 2 2

Answer:

C

Question 11

Question Type: MultipleChoice

Given:

```
class Vehicle {
    int x;
    Vehicle() {
        this(10); // line n1
    }
    Vehicle(int x) {
        this.x = x;
    }
}

class Car extends Vehicle {
    int y;
    Car() {
        super(10); // line n2
    }
    Car(int y) {
        super(y);
        this.y = y;
    }
    public String toString() {
        return super.x + ":" + this.y;
    }
}
```

And given the code fragment:

```
Vehicle y = new Car(20);  
System.out.println(y);
```

What is the result?

Options:

- A- Compilation fails at line n2.
- B- Compilation fails at line n1.
- C- 20:20
- D- 10:20

Answer:

A

Question 12

Question Type: MultipleChoice

Given the code fragments:

```
interface Exportable {
    void export();
}

class Tool implements Exportable {
    public void export() { // line n1
        System.out.println("Tool::export");
    }
}

class ReportTool extends Tool {

    void export() { // line n2
        System.out.println("RTool::export");
    }

    public static void main(String[] args) {
        Tool aTool = new ReportTool();
        Tool bTool = new Tool();
        callExport(aTool);
        callExport(bTool);
    }

    public static void callExport(Exportable ex) {
        ex.export();
    }
}
```

What is the result?

Options:

- A- Compilation fails only at line n1.
- B- Compilation fails only at line n2.
- C- Tool::exportTool::export
- D- Compilation fails at both line n1 and line2.
- E- RTool::exportTool::export

Answer:

A

To Get Premium Files for 1Z0-808 Visit

<https://www.p2pexams.com/products/1z0-808>

For More Free Questions Visit

<https://www.p2pexams.com/oracle/pdf/1z0-808>

