



Free Questions for PTCE by certsdeals

Shared by Henson on 20-10-2022

For More Free Questions and Preparation Resources

Check the Links on Last Page

Question 1

Question Type: MultipleChoice

Which drug can be used as a patch?

Options:

A- -Nuprcanial ointment

B- -clonidine

C- -amoxicillin

D- -vitamin C

Answer:

B

Question 2

Question Type: MultipleChoice

Which of the following medications is not a calcium channel blocker?

Options:

A- Diovan

B- Isoptin

C- Plendil

D- Tiazac

Answer:

A

Question 3

Question Type: MultipleChoice

What must be found on all controlled substance prescriptions?

Options:

- A- Pharmacy DEA number
- B- Physician's business license number
- C- Physician's DEA number
- D- Physician's license number.

Answer:

C

Explanation:

Physician's DEA number

Question 4

Question Type: MultipleChoice

To which schedule does meperidine belong?

Options:

A- II

B- III

C- IV

D- V

Answer:

A

Explanation:

meperidine (Demerol)

Question 5

Question Type: MultipleChoice

An effervescent tablet has the following formula:

Options:

A- APAP : 325mg

B- CaCo₃ : 280mg

C- Citric acid: 900mg

D- Sodium bicarbonate : 465 mg

Answer:

B

Explanation:

Total out all. divide mg to find out GRAM.

Question 6

Question Type: MultipleChoice

How many grams of fluorouracil will 153 lb patient receive in 5 successive days at a dosage of 12mg/kg/day?

Options:

A- 0.42

B- 0.84

C- 4.2

D- 8.4

Answer:

C

Explanation:

$153 \text{ pounds} / 2.2 = 70$

$70 \times 12\text{mg} = 840$ (5 days)

$4200\text{mg} / 1000 = 4.2$ GRAMS

Question 7

Question Type: MultipleChoice

What type of drug is used to facilitate and examination or come to conclusion regarding a condition or disease?

Options:

- A- Destructive agent
- B- Diagnostic agent
- C- Prophylactic agent
- D- Therapeutic agent

Answer:

B

Explanation:

Diagnostic agent is used in making diagnostic condition.

Question 8

Question Type: MultipleChoice

Which of the following medications is not a proton pump inhibitor?

Options:

- A- Aciphex
- B- Concerta
- C- Prevacid
- D- Protonix

Answer:

B

Explanation:

Concerta (methylphenidate) is used in the treatment of ADHD and ADD.

Question 9

Question Type: MultipleChoice

What is the weight of grams of 4 fl ounce of orange peel with specific gravity of 0.844?

Options:

A- 84

B- 103

C- 112

D- 142

Answer:

B

Explanation:

Specific Gravity:

Ratio between the weight of a substance and the weight of an equal volume of water, 1ml water weighs 1g.

4 fl in ml = 120 ml.

Therefore, $0.84 = \text{wt substance} / 120\text{g}$.

Question 10

Question Type: MultipleChoice

Which route of administration has the quickest onset of action?

Options:

A- IM

B- IV

C- PO

D- PR

Answer:

B

Explanation:

IV goes directly into the bloodstream. No first - pass effect.

Question 11

Question Type: MultipleChoice

Which of the following medications is not a combination product?

Options:

A- Estratest

B- Hyazzar

C- Lotrel

D- Remeron

Answer:

D

Explanation:

Remeron (mirtazapine) is not a combination product.

To Get Premium Files for PTCE Visit

<https://www.p2pexams.com/products/ptce>

For More Free Questions Visit

<https://www.p2pexams.com/ptcb/pdf/ptce>

