# Free Questions for Javascript-Developer-I by certsdeals

## Shared by Marquez on 05-09-2022

**For More Free Questions and Preparation Resources**

**Check the Links on Last Page**

# Question 1

**Question Type:** MultipleChoice

Refer to the following code:



```
01  class Vehicle {
02    constructor(plate) {
03      this.plate = plate;
04    }
05  }
06
07  class Truck extends Vehicle {
08    constructor(plate, weight){
09      //Missing code
10      this.weight = weight;
11    }
12    displayWeight() {
13      console.log(`The truck ${this.plate} has a weight of ${this.weight}
14    }
15  }
16
17  let myTruck = new Truck('123AB', 5000);
18  myTruck.displayWeight();
```

Which statement should be added to line 09 for the code to display. The truck 123AB has a weight of 5000 Ib. '?

### Options:

**A)** Super.plate = plate;

**B)** Super = (plate ) ;

**C)** This .plate = plate;

**D)** Vehicle.plate = plate

### Answer:

B, C, D

# Question 2

**Question Type:** **MultipleChoice**

Refer to the following object:



```
01 const cat = {
02   firstName: 'Fancy',
03   lastName: 'Whiskers',
04   get fullName(){
05       return this.firstName + ' ' + this.lastName;
06   }
07 };
```

How can a developer access the fullname property for cat?

### Options:

**A)** Cat.fullName

**B)** Cat.fullname ( )

**C)** Cat,get,fullname

**D)** Cat.function.fullName

### Answer:

C

# Question 3

**Question Type:** MultipleChoice

Refer to the code below:



```
01 function Person() {
02   this.firstName = 'John';
03 }
04
05 Person.prototype = {
06   job: x => 'Developer'
07 };
08
09 const myFather = new Person();
10 const result = myFather.firstName + ' ' + myFather.job();
```

What is the value result after line 10 executes?

## Options:

**A)** Error: myfather.job is not a function

**B)** Undefined Developer

**C)** John undefined

**D)** John Developer

## Answer:

A

# Question 4

**Question Type:** MultipleChoice

A developer is trying to convince management that their team will benefit from using Node.JS for a backend server that they are going to create. The server will be a web server that handles API requests from a website that the team has already built using HTML, CSS, and JavaScript.

Which three benefits of Node.js can the developer use to persuade their manager?

Which three benefits of Node.js can the developer use to persuade their manager?

## Options:

**A)** Installs with its own package manager to install and manage third-party libraries.

**B)** Ensure stability with one major release every few years.

**C)** Performs a static analysis can code before execution to look for runtime errors.

**D)** Executes server-side JavaScript code to avoid learning a new language.

**E)** Uses non-blocking functionality for performant request handling

## Answer:

C

# Question 5

**Question Type:** MultipleChoice

Refer to the HTML below:

```
<div id="main">
  <div id="card-00">This card is smaller.</div>
  <div id="card-01">The width and height of this card is determined by its contents.</div>
</div>
```

Which expression outputs the screen width of the element with the ID card-01?

## Options:

**A)** Documents.getElementById( 'card-01') .getBoundingClientRect () .width

**B)** Documents.getElementById( 'card-01') . style,width

**C)** Documents.getElementById( 'card-01') . width

**D)** Documents.getElementById( 'card-01') . InnerHTML. Length.6

## Answer:

A

# Question 6

**Question Type:** MultipleChoice

Refer to the code below:




What is the output after the ode executes successfully?

A.

End

Start

Success

## Options:

**B)** Start

Success

End
C.
Start
End
Success
D.
Success
Start
End

### Answer:

B

## Question 7

**Question Type:** MultipleChoice

Universal containers (UC) just launched a new landing page, but users complain that the website is slow, A developer found some functions that cause this problem, To verify this, the developer decides to execute everything and log the time each of these suspicious function consumes.



```
01 console.time('Performance');
02
03 maybeAHeavyFunction();
04
05 thisCouldTakeTooLong();
06
07 orMaybeThisOne();
08
09 console.endTime('Performance');
```

Which function can then developer use to obtain the time spent by every one of the three functions?

## Options:

**A)** Console.timeLog ( )

**B)** Console.getTime ( )

**C)** Console,trace ( )

**D)** Console, timestamp

## Answer:

B

# Question 8

**Question Type:** MultipleChoice

Which statement can a developer apply to increment the browser's navigation history without a page refesh?

## Options:

**A)** Window.history,state,push.(newStateObject);

**B)** Window.history,state,push.(newStateObject, ' ' null;

**C)** Window.history,pushState.(newStateObject, ' ', null)) ;

**D)** Window.history,pushState.(newStateObject);

## Answer:

B

# Question 9

**Question Type:** MultipleChoice

Refer to the code below:



```
01 function foo() {
02   const a = 2;
03   function bar() {
04     console.log(a);
05   }
06   return bar;
07 }
```

Why does the function bar have access to variable =?

## Options:

**A)** Inner function's scope

**B)** Hoisting

**C)** Outer function's scope

**D)** Prototype chain

## Answer:

A

# Question 10

**Question Type:** MultipleChoice

Refer to the following code:



```
01 <html lang="en">
02   <body>
03     <div onclick="console.log('Outer message');">
04       <button id="myButton">Click me!</button>
05     </div>
06   </body>
07   <script>
08     function displayMessage(ev) {
09       ev.stopPropagation();
10       console.log('Inner message.');
11     }
12     const elem = document.getElementById('myButton');
13     elem.addEventListener('click', displayMessage);
14   </script>
15 </html>
```

What will the console when the button is clicked?

## Options:

**A)** Outer message

**B)** Outer message

**C)** Inner message

**D)** Inner message

## Answer:

B

**To Get Premium Files for Javascript-Developer-I Visit**

https://www.p2pexams.com/products/javascript-developer-i

**For More Free Questions Visit**

https://www.p2pexams.com/salesforce/pdf/javascript-developer-i