Free Questions for C_BOBIP_43 by certsdeals

Shared by Vincent on 18-01-2024

For More Free Questions and Preparation Resources

Check the Links on Last Page

Question 1

Where do you view merged dimensions?

Please choose the correct answer.

Options:

A) In the Report Map pane

B) In the My Objects pane

C) In the Document Structure and Filters pane

D) In the Query panel

Answer:

B

Question 2

How does rearranging the objects in the Result pane after the query has run affect the block display?

Please choose the correct answer.

Options:

A) The objects are rearranged in the block based on the order in the Results Objects pane.

B) The reordered objects are removed from the block.

C) The block is sorted in ascending order based on the first object in the Results Objects pane.

D) The block remains unchanged.

Answer:

D

Question 3

Question Type: **MultipleChoice**

Why would you need to change the data source for your query?

Please choose the correct answer.

Options:

A) To change the universe connection of your universe

B) To use the production universe instead of the test universe

C) To use different objects from the universe

D) To change the order of execution for existing queries

Answer:

B

Question 4

Question Type: MultipleChoice

You insert the function CurrentDate() into a cell. To clarify the date you add a string so that the formula is now: ='Sales Report from '+CurrentDate()

Which formatting capability is disabled for the cell?

Please choose the correct answer.

Options:

A) Format Cell

B) Hide

C) Align

D) Format Display

Answer:

D

Question 5

Question Type: MultipleChoice

Which character should you use to reset the result of the RunningSum( ) function for either a break or a section?

Please choose the correct answer.

A) Semicolon (;)

B) Percent (%)

C) Underscore (_)

D) Comma (,)

Answer:

A

Question 6

Question Type: **MultipleChoice**

What can you use breaks for?

Please choose the correct answer.

Options:

A) To create a section

B) To create multiple table blocks

C) To remove repeated values in one table block

D) To manipulate the navigation path

Answer:

C

Question 7

Question Type: MultipleChoice

Your report contains a table. What happens when you drop a dimension object into a blank part of this report?

Please choose the correct answer.

Options:

A) A new group is created.

B) A new block is created.

C) A new free-standing cell is created.

D) A new section is created.

Answer:

B