



Free Questions for 1Z0-078 by certsinside

Shared by Wilson on 12-12-2023

For More Free Questions and Preparation Resources

Check the Links on Last Page

Question 1

Question Type: MultipleChoice

Which three statements are true regarding ASM on a four-node cluster? (Choose three.)

Options:

- A-** ASM Cluster File System (ACFS) can be deployed on any nodes.
- B-** A database instance on a node can be a client of an ASM instance running on any node.
- C-** A database instance on a node cannot be a client of an ASM instance running on other nodes.
- D-** A database instance on a node can only be a client of an ASM instance running on the same node.
- E-** A database instance on a node uses an ASM instance as an I/O server when requesting I/O to diskgroups.
- F-** An ASM instance and database instances can coexist on the same node.

Answer:

B, E, F

Question 2

Question Type: MultipleChoice

Which two components must always be defined or specified by an administrator to make an application highly available using Oracle 92c Clusterware? (Choose two.)

Options:

- A- an application VIP
- B- A Server Pool
- C- a resource dependency definition
- D- an application resource
- E- a script agent

Answer:

D, E

Question 3

Question Type: MultipleChoice

Which two statements are true concerning the installation of Oracle Grid Infrastructure 19c Cluster? (Choose two.)

Options:

- A-** The Grid Infrastructure Management Repository is only required when using ASM.
- B-** Specifying the use of Grid Naming Service is optional.
- C-** Normal Redundancy ASM Disk Groups used for Clusterware files will contain three voting files regardless of the number of
- D-** The Clusterware binaries may be installed without installing ASM binaries.
- E-** High Redundancy ASM Disk Groups used for Clusterware files will contain two OCRs.

Answer:

B, C

Question 4

Question Type: MultipleChoice

Oracle Clusterware manages an administrator-managed database service defined with the MANUAL management policy.

Which two statements are true? (Choose two.)

Options:

- A-** The service must be manually started with SRVCTL after a planned restart of the instance hosting the service.
- B-** The service must be manually restarted with SRVCTL every time the instance hosting the service fails.
- C-** The service must be manually restarted with SRVCTL after restarting the Clusterware stack on the node hosting the service.
- D-** Clusterware will monitor the service while it is active.
- E-** When manually started, the service will always start on one or more available instances rather than on their preferred instances.

Answer:

A, D

Question 5

Question Type: MultipleChoice

Which three statements are true about fully qualified file names in ASM? (Choose three.)

Options:

- A- They can be created only if OMF is enabled.
- B- They are system Generated at the time of ASM file creation.
- C- They can be used to reference existing ASM files.
- D- They are the only valid form that can be used for single file creation of a control file.
- E- An alias may be created for an existing file by referring to the fully qualified file name.

Answer:

B, C

Question 6

Question Type: MultipleChoice

Which two statements are true about High Availability NFS (HANFS)? (Choose two.)

Options:

- A- HANFS provides high availability in case of an NFS client failure.
- B- HANFS' performance depends on the characteristics of the underlying ASM disks.

- C-** HANFS does not depend on NFS services provided by the underlying operating system.
- D-** HANFS provides high availability in case of cluster node failure.
- E-** NFS client requests are distributed by DNS in a round-robin fashion to the cluster nodes that export the NFS

Answer:

B, D

Question 7

Question Type: MultipleChoice

Which three statements are true concerning Automatic Database Diagnostic Monitor (ADDM) for RAC? (Choose three.)

Options:

- A-** It can analyze performance over any given time period.
- B-** It can diagnose skew in response time.
- C-** It can analyze performance using data captured on all instances.
- D-** It can only analyze performance on the instance running the ADDM job.

E- It can diagnose latency problems in the Cluster Interconnect.

F- It runs automatically in Instance ADDM mode after each AWR snapshot is created.

Answer:

A, B, C

Question 8

Question Type: MultipleChoice

Which two statements are true regarding ASM Dynamic Volume Manager (ADVM)? (Choose two.)

Options:

A- An ADVM volume is individually named and can contain only one file system.

B- ADVM extends ASM by providing a device driver interface to storage backed by an ASM disk group.

C- File systems contained in ADVM volumes may only contain database files.

D- Only one ADVM volume can be created in an ASM disk group.

E- To create an ADVM volume, disk group attributes COMPATIBLE.ASM and COMPATIBLE.ADVM must be minimally set to 12.1.<.span>.

Answer:

A, B

Question 9

Question Type: MultipleChoice

Which two statements are true concerning buffer states as shown in GV\$BH.STATUS in Oracle 19c RAC? (Choose two.)

Options:

- A-** A CR image may get served from one instance to another to satisfy a read request.
- B-** An xcur image is not downgraded to a SCUR image for shipping to another instance until commits occur for updated rows on the block.
- C-** An xcur image is not shipped to another instance until commits occur for updated rows on the block.
- D-** A Pi block image may exist for a specific database block in only one instance.
- E-** An xcur block image may exist for a specific database block in only one instance.

Answer:

A, E

Question 10

Question Type: MultipleChoice

Which two statements are true about load balancing using a database service in a RAC environment? (Choose two.)

Options:

- A-** Client-side connect time load balancing works only if it uses a tnsnames entry specifying load BALANCE=yes.
- B-** Server-side connect time load balancing is done at the time of the initial connection attempt to the database service.
- C-** Server-side load balancing connections are always distributed across instances based on the fastest response time for the service.
- D-** Client-side connect time load balancing is done at the time of the initial connection attempt to the database service.
- E-** In client-side load balancing, the SCAN listener uses the Load Balancing Advisory to direct a connection request to the least loaded instance hosting the service.

Answer:

B, D

To Get Premium Files for 1Z0-078 Visit

<https://www.p2pexams.com/products/1z0-078>

For More Free Questions Visit

<https://www.p2pexams.com/oracle/pdf/1z0-078>

