



Free Questions for 5V0-23.20 by certsinside

Shared by Howe on 12-12-2023

For More Free Questions and Preparation Resources

Check the Links on Last Page

Question 1

Question Type: MultipleChoice

Which three characteristics are true of Control Plane VMs? (Choose three.)

Options:

- A- They can be resized by administrators directly through vCenter Inventory View.
- B- They each run the Spherelet.
- C- They each expose the Kubernetes API.
- D- They do not run any Kubernetes Pods.
- E- They are connected to a Management portgroup.
- F- They are deployed via a vCenter Service.

Answer:

A, B, E

Question 2

Question Type: MultipleChoice

Which corresponding object is automatically created in the embedded Registry Service when a new Namespace is created in the Supervisor Cluster?

Options:

- A- Pod
- B- Project
- C- Container
- D- Image

Answer:

B

Question 3

Question Type: MultipleChoice

Which object is deployed on the workload network when vSphere with Tanzu is configured with vSphere network stack?

Options:

- A- Windows Virtual Machines
- B- Registry Service
- C- Tanzu Kubernetes clusters
- D- NSX Edge

Answer:

C

Question 4

Question Type: MultipleChoice

An administrator needs to label and push an image into Harbor.

Which command should the administrator run first?

Options:

- A- docker tag demoapp01:14.04 /demo/demoapp01:14.04
- B- kubectl tag demoapp01:14.04 /demo/demoapp01:14.04
- C- kubectl label demoapp01:14.04 /demo/demoapp01:14.04
- D- docker label demoapp01:14.04 /demo/demoapp01:14.04

Answer:

A

Question 5

Question Type: MultipleChoice

Which step is necessary in order to allocate storage to a newly created namespace?

Options:

- A- Assign a VM Storage Policy
- B- Assign permissions to users
- C- Define resource limits

D- Add a content library

Answer:

A

Question 6

Question Type: MultipleChoice

Which kubectl command is used to deploy the application when using a Kubernetes deployment specification file, my-app.yaml?

Options:

A- kubectl run my-app.yaml

B- kubectl apply -f my-app.yaml

C- kubectl create my-app.yaml

D- kubectl apply spc my-app.yaml

Answer:

B

Question 7

Question Type: MultipleChoice

How are updates applied to Tanzu Kubernetes clusters?

Options:

- A-** The cluster is shutdown, Update Manager applies patches to VMs, and the cluster is restarted.
- B-** Worker nodes are shutdown while Controllers are patched and restarted after the update.
- C-** New nodes are incrementally added with new Kubernetes versions so as a new node is added, an older node is removed.
- D-** A new cluster is completely configured and runs in parallel to the primary cluster prior to switchover.

Answer:

C

Question 8

Question Type: MultipleChoice

A development team has submitted a YAML specification to create a Tanzu Kubernetes cluster called dev-cluster and wants to verify that the cluster is running.

Which command should be run to obtain this verification?

Options:

- A- kubectl show tkc dev-cluster
- B- kubectl get cluster dev-cluster
- C- kubectl get tkc dev-cluster
- D- kubectl list cluster dev-cluster

Answer:

B

Question 9

Question Type: MultipleChoice

Which kubectl command is used to list the Kubernetes services in the current active namespace?

Options:

- A- kubectl get services
- B- kubectl get loadbalancer
- C- kubectl services get ip
- D- kubectl list services

Answer:

A

Question 10

Question Type: MultipleChoice

What is automatically created within NSX-T when an administrator creates a new namespace in the vSphere client?

Options:

- A- A new segment connected to a Tier-1 gateway and a new overlay transport zone
- B- A new segment connected to a Tier-0 gateway and a new overlay transport zone
- C- A new segment connected to a Tier-0 gateway and an existing overlay transport zone
- D- A new segment connected to a Tier-1 gateway and an existing overlay transport zone

Answer:

D

Question 11

Question Type: MultipleChoice

A Namespace contains multiple Tanzu Kubernetes clusters.

How is access granted to a single Tanzu Kubernetes cluster?

Options:

- A- Create a custom Role and RoleBinding, and then apply to the Namespace using kubectl commands.
- B- Use the vSphere Client to grant access to the Namespace.
- C- Create a custom Role and RoleBinding, and then apply to the Tanzu Kubernetes cluster using kubectl commands.
- D- Use the vSphere Client to grant access to the Tanzu Kubernetes cluster.

Answer:

C

To Get Premium Files for 5V0-23.20 Visit

<https://www.p2pexams.com/products/5v0-23.20>

For More Free Questions Visit

<https://www.p2pexams.com/vmware/pdf/5v0-23.20>

