

Free Questions for ACE-A1.2 by certsinside

Shared by Reilly on 15-04-2024

For More Free Questions and Preparation Resources

Check the Links on Last Page

Question 1

Question Type: MultipleChoice

How does Arista's VMTracer feature support multi-tenancy?

Options:

- A- By allowing VMs to be run on the switch itself.
- B- By allowing connections to multiple ESXi hosts.
- **C-** By allowing connections to multiple vCenters.
- D- VMTracer does not support multi-tenancy.

Answer:

С

Question 2

Question Type: MultipleChoice

To upgrade the EOS running on an Arista switch, which of the following commands copies the new EOS file from USB to flash?

Options:

- A- copy usb1:/EOS-4.15.0.swi flash:/EOS-4.15.0.swi
- B- copy usb:/EOS-4.15.0.swi flash:/EOS-4.15.0.swi
- C- copy drive0:/EOS-4.15.0.swi flash:/EOS-4.15.0.swi
- D- copy usb0:/EOS-4.15.0.swi flash:/EOS-4.15.0.swi

Answer:

Α

Question 3

Question Type: MultipleChoice

True or False: When ZTP has been placed in cancel mode, you must issue the write memory command to prevent ZTP from triggering again.

Options:			
A- TRUE			
B- FALSE			
Answer:			
В			


Question 4

Question Type: MultipleChoice

What is the MLAG peer address?

Options:

- A- The MLAG peer address is the management IP of the MLAG domain virtual switch
- B- The MLAG peer address is the ip address of the other switch in the MLAG domain
- C- The MLAG peer address is the address used as a virtual default gateway



Question 6

Question Type: MultipleChoice

The VXLAN spec allows for two implementation types. One uses multicast. What is the other one called?

Options:

- A- Non-multicast replication
- **B-** BUM-Replication
- C- Fore-end Replication
- D- Head-end Replication

Answer:

В

To Get Premium Files for ACE-A1.2 Visit

https://www.p2pexams.com/products/ace-a1.2

For More Free Questions Visit

https://www.p2pexams.com/arista/pdf/ace-a1.2

