

# Free Questions for 350-801 by certsinside

Shared by Benton on 05-09-2022

For More Free Questions and Preparation Resources

**Check the Links on Last Page** 

# **Question 1**

**Question Type:** MultipleChoice

Multiple route patterns match a number. How does Cisco Unified Communications Manager determine which pattern to use?

#### **Options:**

- A) the one that discards everything PreDot
- B) the one with the longest match
- C) the one that comes first in numerical order
- D) the one with the closed match

#### **Answer:**

D

# **Question 2**

**Question Type:** MultipleChoice

Options:		
Video conference bridge		
B) transcoder		
annunciator		
auto-attendant		

What is a software-based media resource that is provided by the Cisco IP Voice Streaming Application?

#### **Answer:**

С

# **Question 3**

**Question Type:** MultipleChoice

An engineer configures Cisco Unified Communications Manager to prevent toll fraud. At which two point does the engineer block the pattern in Cisco Unified CM to complete this task? (Choose two.)

		L:	_		_	_
		-			C	-
0	P	ш	U	ш	J	

- A) route pattern
- B) translation pattern
- C) route group
- **D)** partition
- E) CSS

#### **Answer:**


D, E

# **Question 4**


#### **Question Type:** MultipleChoice

Which configuration tells a switch port to send Cisco Discovery protocol packets that configure an attached Cisco IP phone to trust tagged traffic that is received from a device that is connected to the access port on the Cisco IP phone?


A)




B)



C)



D)



### **Options:**

A) Option A

B) Option B

- C) Option C
- D) Option D

#### **Answer:**

В

## **Question 5**

#### **Question Type:** MultipleChoice

How does an administrator make Cisco IP phone display the last 10 digits of the calling number when the call is in the connected state, and also display the calling number in the E.164 format within call history on the phone?

#### **Options:**

- A) Configure a calling party transformation pattern that keeps only last 10 digits.
- B) Configure a translation pattern that has a calling Party Transform Mask of XXXXXXXXXX.
- C) On the inbound SIP trunk, change Significant Digits to 10.
- D) Change the service parameter Apply Transformations On Remote Number to True.

D	
luest	ion 6
uestion T	vpe: MultipleChoice
An admir	sistrator is trying to change the default LINECODE for a voice ISDN T1 PRI. Which command makes the change?
Ontions	
Options  A) lineco	
B) lineco	de hdb3
C) lineco	de b8zs
D) lineco	de esf

### To Get Premium Files for 350-801 Visit

https://www.p2pexams.com/products/350-801

### **For More Free Questions Visit**

https://www.p2pexams.com/cisco/pdf/350-801

