

Free Questions for SECRET-SEN by certsinside

Shared by Fitzgerald on 29-01-2024

For More Free Questions and Preparation Resources

Check the Links on Last Page

Question 1

Question Type: DragDrop

You are configuring the Conjur Cluster with 3rd-party certificates.

Arrange the steps to accomplish this in the correct sequence.

Answer Area

Unordered Options

Ordered Response

Import 3 rd -party certificates.	0
Configure the Leader.	0
Verify the Conjur Leader configuration.	0
Configure Standbys	0

Question 2

Question Type: MultipleChoice

You have a request to protect all the properties around a credential object. When configuring the credential in the Vault, you specified the address, user and password for the credential.

How do you configure the Vault Conjur Synchronizer to properly sync all properties?

Options:

A- Modify VaultConjurSynchronizer.exe.config, uncomment SYNCALLPROPERTIES and update its value to true.

B- Modify SynchronizerReplication.config, uncomment SYNCALLPROPERTIES and update its value to true.

C- Modify Vault.ini, uncomment SYNCALLPROPERTIES and update its value to true.

D- In the Conjur UI under Cluster > Synchronizer > Config, change SYNCALLPROPERTIES and update its value to true.

Answer:

А

Question 3

Question Type: MultipleChoice

A customer has 100 .NET applications and wants to use Summon to invoke the application and inject secrets at run time.

Options:

A- It must be changed to include the REST API calls necessary to retrieve the needed secrets from the CCP.

B- It must be changed to access secrets from a configuration file or environment variable.

C- No changes are needed as Summon brokers the connection between the application and the backend data source through impersonation.

D- It must be changed to include the host API key necessary for Summon to retrieve the needed secrets from a Follower

Answer:	
В	

Question 4

Question Type: MultipleChoice

When installing the CCP and configuring it for use behind a load balancer, which authentication methods may be affected? (Choose two.)

Options:

A- Allowed Machines authentication

B- [Client Certificate authentication

C- OS User

D- Path

E- Hash

Answer:

Α, Β

Question 5

Question Type: MultipleChoice

When attempting to configure a Follower, you receive the error:

psql: server closed the connection unexpectedly This probably means the server terminated abnormally before or while processing the request. You know that the Leader Load Balancer is not available on the port and replication cannot be established.

Options:			
A- 5432			
B- 1999			
C- 443			
D- 1858			
Answer:			
А			

Question 6

Question Type: MultipleChoice

Refer to the exhibit.

"replication_status": { "pg_stat_replication": [{ "username": "conjur-follower.mycompany.local", "application_name": "follower_conjur_follower_mycompany_local_c63e36c427c3". "client_addr": "12.16.23.10", "backend_start": "2020-11-13 22:45:04 +0000" "state": "streaming", "sent_lsn": "0/30021C8", "replay_lsn": "0/30021C8", "sync_priority":0, "sync_state": "async", "sent_lsn_bytes": 50340296, "replay_lsn_bytes": 50340296, "replication_lag_bytes":0 }], "pg_current_xlog_location": "0/30021C8", "pg_current_xlog_location_bytes": 50340296}

How can you confirm that the Follower has a current copy of the database?

Options:

A- Compare the pgcurrentxlog_locationlocation from the Leader to the Follower you need to validate against.

B- Count the number of components in pgstartreplication and compare this to the total number of Followers in the deployment.

C- Validate that the Follower container ID matches the node in the info endpoint on the Leader.

D- Retrieve the credential from a test application on the Leader cluster; then retrieve against the Follower and compare if they are accurate.

Answer:

To Get Premium Files for SECRET-SEN Visit

https://www.p2pexams.com/products/secret-sen

For More Free Questions Visit

https://www.p2pexams.com/cyberark/pdf/secret-sen

