

Free Questions for E_BW4HANA214 by certsinside

Shared by Camacho on 29-01-2024

For More Free Questions and Preparation Resources

Check the Links on Last Page

Question 1

Question Type: MultipleChoice

Why do you create a Semantic Group?

Options:

- A- To create folders for SAP BW Query elements
- B- To loadInfoObject attribute with Enhanced Master Data Update
- C- To define settings for Data Tiering Optimization (DTO)
- D- To generate multiple similar DataStore objects (advanced)

Answer:

D

Question 2

Question Type: MultipleChoice

Which operations can you perform in the SAP BW/4HANA Cockpit? Note: there are 3 correct answers to this question.

Options:

- A- Create and maintain BW Query variables
- B- Create and maintain Analysis Authorizations
- C- Manage requests of DataStore objects (advanced)
- D- Monitor Process Chains
- E- Create and maintain indices for DataStore objects (advanced)

Answer:	
B, C, D	

Question 3

Question Type: MultipleChoice

You model an Open ODS View on an SAP HANA table. You would like to persist the data in a SAP BW/4HANA object based on the 'Generate Dataflow...' function.

Which objects are created automatically? Note: there are 3 correct answers to this

question

Options:

A- DataStore object (advanced)

B- InfoPackage

C- DataSource

D- InfoSource

E- Transformation

Answer: A, D, E

Question 4

Question Type: MultipleChoice

You imported a project into SAP Web Ide for SAP HANA to develop an SAP HANA HDI Calculation View. At which level do you have to assign a space?

Options:	
A- Workspace	
B- Project	
C- HDB Module	
D- Package	
Answer:	

В

Question 5

Question Type: MultipleChoice

What are key results provided by the SAP BW/4HANA Readiness Check? (3 Answers)

Options:

- A- List of all BW/4HANA incompatible SAP ERP DataSource
- B- List of all BW/4HANA incompatible BW objects in the system
- C- List of largest database table and additional sizing information
- D- List of all missing SAP notes for installing the SAP BW/4HANA Transfer Cockpit
- E- List of all BW/4HANA incompatible add-ons in the system

Answer:		
B, C, E		

Question 6

Question Type: MultipleChoice

You would like to implement a virtual scenario in your SAP BW/4HANA system. Which approach does SAP recommend for this kind of scenario? Note: There are 3 correct answer to this question.

Options:

- A- Generate external SAP HANA view of SAP BW/4HANA InfoProviders to consume SAP BW/4HANA data in SAP HANA
- B- Load SAP HANA data into SAP BW/4HANA InfoProviders based on the Operational Data Provisioning (ODP) framework.
- C- Define an Open ODS View which integrates an SAP HANA table into SAP BW/4HANA
- D- Integrate external data into SAP BW/4HANA based on the Write Interface- ebabledDataStore object
- E, Model a CompositeProvider which combines data from multiple SAP BW/4HANA InfoProviders and SAP HANA Views

Answer:	
A, B, C	

Question 7

Question Type: MultipleChoice

You use a customer master data table as a left table and a transactional sales data

table as a right table within a graphical SAP HANA Calculation View.

You want to focus in your report on transactional data showing both: customers with

sales volume and without.

Which join type should be used?

Options:

A- Left Outer Join

B- Full Outer Join

C- Right Outer Join

D- Referential Join

Answer:

А

Question 8

Question Type: MultipleChoice

Which of the following statements describe the benefits of the SAP BW/4HANA Content Add-on? (3 Answers)

Options:

A- The content follows the LSA++ recommendation and delivers an LSA++ aligned structure

- B- The content delivers optimized process chain to load LSA++ structured data models
- C- The content leverages new navigational attributes of the SAP standard time Characteristics
- D- The content delivers Transformations that are optimized to enable push-down to SAP HANA
- E- The content delivers predefined settings for SAP BW/4HANA Data Tiering Optimization (DTO)

Answer: A, C, D

Question 9

Question Type: MultipleChoice

You enable a DataStore object(advanced) for reporting by switching on the ""Externa

SAP HANA view"" flag in the settings.

Which authorizations are used when you consume the generated SAP HANA view

directly?

Options:

- A- The combination of the generated analytic privileges in SAP HANA and the analysis authorizations in SAP BW/4HANA
- B- The analysis authorizations in SAP BW/4HANA
- C- The authorizations for the HDI container access in SAP HANA
- D- The generated analytic privileges in SAP HANA

Answer:

To Get Premium Files for E_BW4HANA214 Visit

https://www.p2pexams.com/products/e_bw4hana214

For More Free Questions Visit

https://www.p2pexams.com/sap/pdf/e-bw4hana214

