



**Free Questions for Associate-Android-Developer by certsinside**

**Shared by Goff on 20-10-2022**

**For More Free Questions and Preparation Resources**

**Check the Links on Last Page**

# Question 1

---

**Question Type:** MultipleChoice

---

In application theme style, flag windowActionBar () indicates:

## Options:

---

- A-** whether the given application component is available to other applications.
- B-** whether action modes should overlay window content when there is not reserved space for their UI (such as an Action Bar).
- C-** whether this window's Action Bar should overlay application content.
- D-** whether this window should have an Action Bar in place of the usual title bar.

## Answer:

---

D

## Explanation:

---

<https://developer.android.com/guide/topics/ui/look-and-feel/themes> <https://developer.android.com/reference/android/R.styleable.html>

## Question 2

---

**Question Type:** MultipleChoice

---

Content labels. What attribute to use to indicate that a View should act as a content label for another View?

### Options:

---

**A-** android:contentDescription

**B-** android:hint

**C-** android:labelFor

### Answer:

---

C

### Explanation:

---

<https://support.google.com/accessibility/android/answer/7158690?hl=en>

## Question 3

---

**Question Type:** MultipleChoice

---

When using an EditTexts or editable TextViews, or other editable View. What attribute to use to provide a content label for that View?

### Options:

---

A- android:contentDescription

B- android:hint

C- android:labelFor

### Answer:

---

B

### Explanation:

---

<https://support.google.com/accessibility/android/answer/7158690?hl=en>

## Question 4

---

**Question Type:** MultipleChoice

---

When using an ImageView, ImageButton, CheckBox, or other View that conveys information graphically. What attribute to use to provide a content label for that View?

**Options:**

---

**A-** android:contentDescription

**B-** android:hint

**C-** android:labelFor

Section: JAVA only

Explanation

**Answer:**

---

A

**Explanation:**

---

## Question 5

---

### Question Type: MultipleChoice

---

A content label sometimes depends on information only available at runtime, or the meaning of a View might change over time. For example, a Play button might change to a Pause button during music playback. In these cases, to update the content label at the appropriate time, we can use:

#### Options:

---

- A- View#setContentDescription(int contentDescriptionResId)
- B- View#setContentLabel(int contentDescriptionResId)
- C- View#setContentDescription(CharSequence contentDescription)
- D- View#setContentLabel(CharSequence contentDescription)

#### Answer:

---

C

## Explanation:

---

<https://support.google.com/accessibility/android/answer/7158690?hl=en>

## Question 6

---

**Question Type:** MultipleChoice

---

In application theme style, flag `windowNoTitle ()` indicates:

### Options:

---

- A- whether this window should have an Action Bar in place of the usual title bar.
- B- whether there should be no title on this window.
- C- that this window should not be displayed at all.
- D- whether this is a floating window.
- E- whether this Window is responsible for drawing the background for the system bars.

**Answer:**

---

B

**Explanation:**

---

<https://developer.android.com/guide/topics/ui/look-and-feel/themes> <https://developer.android.com/reference/android/R.styleable.html>



**To Get Premium Files for Associate-Android-Developer Visit**

**<https://www.p2pexams.com/products/associate-android-developer>**

**For More Free Questions Visit**

**<https://www.p2pexams.com/google/pdf/associate-android-developer>**

