



**Free Questions for H12-222 by certsinside**

**Shared by Mcfadden on 15-04-2024**

**For More Free Questions and Preparation Resources**

**Check the Links on Last Page**

## Question 1

---

**Question Type:** MultipleChoice

---

A DHCP server allocates IP addresses to clients. Which of the following steps are required when configuring a DHCP server? (Multiple Choice)

### Options:

---

- A- Enable DHCP globally.
- B- Configure the DHCP Option 82 field.
- C- Configure the global address pool if the DHCP server based on the global address pool is used.
- D- Configure the interface address pool if the DHCP server based on the interface address pool is used.

### Answer:

---

A, C, D

## Question 2

---

**Question Type:** MultipleChoice

---

MPLS uses LDP to provide different label distribution modes. Which of the following statements regarding LDP label distribution control modes are false? (Multiple Choice)

**Options:**

---

**A-** LDP label distribution can be controlled in ordered mode.

**B-** In ordered mode, when an LSR is the origin of a route, it can send label mapping messages to the upstream router initiatively and does not need to wait for label mapping messages from the next hop LSR.

**C-** LDP label distribution cannot be controlled in independent mode.

**D-** In independent mode, an LSR cannot send label mapping messages to the upstream router before it receives label mapping messages from the next hop LSR.

**Answer:**

---

C, D

## Question 3

---

**Question Type: MultipleChoice**

---

Which of the port mirroring modes are supported by Huawei S series switches? (Multiple Choice)

**Options:**

---

- A- Local port mirroring
- B- Remote port mirroring
- C- Global mirroring
- D- Flow mirroring

**Answer:**

---

A, C, D

## Question 4

---

**Question Type:** MultipleChoice

---

Which of the following statements regarding Network Address and Port Translation (NAFT) and No Port Translation (No-PAT) is true?

**Options:**

---

- A- After NAFT translation, all packets are from the same IP address for external users.
- B- In No-PAT mode, only the transport layer protocol port number can be converted.
- C- In NAFT mode, only the network layer protocol address can be converted.
- D- In No-PAT mode, the network layer protocol address can be converted.

**Answer:**

---

D

## Question 5

---

**Question Type:** MultipleChoice

---

The NAT address pool configuration command is as follows. What is the meaning of no-pat?

```
nat address-group 1  
address 0 200.200.165.10 200.200.165.20  
nat-mode no-pat
```

**Options:**

---

- A- The address is not translated.
- B- The interface is multiplexed.
- C- The source interface is not converted.
- D- The destination interface is not converted.

**Answer:**

---

C

## Question 6

---

**Question Type:** MultipleChoice

---

Which of the following statements regarding the firewall interzone security policy is true?

**Options:**

---

- A- The interzone security policies are arranged in the order of the match, the listed first is matched preferentially.
- B- The interzone security policy with the smaller ID is matched preferentially.
- C- The interzone security policy with the larger ID is matched preferentially.

**D-** The interzone security policies are listed automatically based on sequence numbers. When the order is changed, the number is changed.

**Answer:**

---

A

## Question 7

---

**Question Type: MultipleChoice**

---

MPLS supports multi-layer labels and connection-oriented on the forwarding plane, therefore it is widely used. So Which of the following is not the cause for MPLS deployment?

**Options:**

---

- A-** Wide recognition by vendors
- B-** Traffic engineering capabilities
- C-** Simplifying route query on software-based routers
- D-** Using VPN services

**Answer:**

---

A



**To Get Premium Files for H12-222 Visit**

<https://www.p2pexams.com/products/h12-222>

**For More Free Questions Visit**

<https://www.p2pexams.com/huawei/pdf/h12-222>

