



Free Questions for H12-723 by certsinside

Shared by Preston on 15-04-2024

For More Free Questions and Preparation Resources

Check the Links on Last Page

Question 1

Question Type: MultipleChoice

SACG Inquire right-manager The information is as follows, which options are correct? (Multiple choice)

Options:

- A- SACG and IP Address is 2.1.1.1 The server linkage is unsuccessful.
- B- SACG The linkage with the controller is successful.
- C- main controller IP address is 1.1.1.2.
- D- main controller IP address is 2.1.1.1.

Answer:

B, C

Question 2

Question Type: MultipleChoice

The following configuration is in A with B The authentication commands are configured on the two admission control devices. For the analysis of the following configuration commands, which ones are correct? (Multiple choice)

Options:

- A- A What is configured on the device is MAC Bypass authentication
- B- B What is configured on the device is MAC Bypass authentication o
- C- A On the device 2GE1/0/1 Can access PC Can also access dumb terminal equipment
- D- B On the device GE1/0/1 Can access PC It can also access dumb terminal equipment. Upper

Answer:

A, C

Question 3

Question Type: MultipleChoice

The user access security solution is one-kind"End to end"Security architecture. The user access security architecture includes three key components:Terminal equipment, network access equipment and access server.

Options:

A- right

B- wrong

Answer:

A

Question 4

Question Type: MultipleChoice

Use hardware SACG Access control,,In hardware SACG View the results of the conversation table on the deduction.

Which of the following statements are correct? (Multiple choice)

Options:

A- 192.168.1.0 definitely is Agile Controller-Campus Manager IP address

B- if 192.126.200.11 Is the server of the post-authentication domain, then IP Address is 192.18.0.1 If your terminal has not passed the authentication, it is possible to access the server.

C- 192.168.100.1 definitely is Agile Controller-Campus Controller IP address.

D- If in 6 Within minutes of the conversation 192.168.0.19 154->/192.162.0.11: 15080 Not refreshed,IP Address is 192.168.0.119 If the device wants to IP Address is 192.168.200.11 For device communication, the session must be re-established.

Answer:

A, B, D

Question 5

Question Type: MultipleChoice

After an enterprise deployed antivirus software, it was discovered that virus infections still occurred on a large scale. In addition to the limitations of the product's own technology, the reason for the problem is weak personal terminal security protection, which is also an important factor.

Options:

A- right

B- wrong

Answer:

A

Question 6

Question Type: MultipleChoice

In the scenario of SACG linkage in bypass mode, only the traffic initiated by the terminal user will pass through the firewall, and the server will return to the terminal in use.

The traffic does not need to go through the firewall y. For the firewall, it belongs to the scenario of inconsistent traffic back and forth paths, this needs to turn off the session state check function.

Options:

A- right

B- wrong

Answer:

A

Question 7

Question Type: MultipleChoice

The service free mobility function of the Agile Controller can guide the flow to the security center for processing according to the service, improving the utilization of physical equipment.

Options:

A- right

B- wrong

Answer:

B

Question 8

Question Type: MultipleChoice

Which of the following options belong to a third-party server account? (Multiple choice)

Options:

- A- AD account number
- B- Mobile certificate account)
- C- Anonymous account
- D- Guest account

Answer:

A, B

Question 9

Question Type: MultipleChoice

In a WLAN network, when the AP is in monitoring mode, what kind of packets does the AP use to determine the device type?

Options:

- A- DHCP
- B- ARP
- C- CAPWAP
- D- 802.11MAC

Answer:

D

Question 10

Question Type: MultipleChoice

Portal authentication on the Agile Controller-Campus has been configured and is correct.

Configure the following commands on the access control switch:

```
[S5720] authentication free-rule 1 destination ip 10.1.31.78 mask 255.255. 255.255
```

Which of the following options are correct? (multiple choice)

Options:

- A-** After the configuration is complete, the switch will automatically release the data flow to access the security controller, No need for manual configuration by the administrator.
- B-** This configuration allows users to access network resources before authentication.
- C-** After the configuration is complete, the administrator still needs to manually configure the release network segment
- D-** Only after the authentication is passed, the terminal can access 10.1.31.78 Host.

Answer:

A, B

Question 11

Question Type: MultipleChoice

Free mobility is a special access control method, according to the user's access location, access time, access method and terminal authorization instructions. Set permissions, as long as the user's access conditions remain unchanged, the permissions and network experience after accessing the network--To q

Options:

A- right

B- wrong

Answer:

A

To Get Premium Files for H12-723 Visit

<https://www.p2pexams.com/products/h12-723>

For More Free Questions Visit

<https://www.p2pexams.com/huawei/pdf/h12-723>

