

# **Free Questions for JN0-412 by certsinside**

# Shared by Sharp on 12-12-2023

For More Free Questions and Preparation Resources

**Check the Links on Last Page** 

#### **Question Type:** MultipleChoice

You have an existing spine and leaf topology that you want to add into Contrail Command for fabric

management.

Which two configuration tasks are required to accomplish this task? (Choose two.)

#### **Options:**

A- Enable OVSDB in the Contrail Command UI.

B- Enable the REST API on the network devices.

C- Enable VXLAN routing in the Contrail Command UI.

D- Enable netconf SSH on the network devices.

### Answer:

C, D

# **Question 2**

Click the Exhibit button.

```
ł
 BqpPeerInfoData: {
   state info: {
      last state: "Idle",
      state: "Idle",
      last state at: 1394778927107639
   },
   families: [
      "IPv4:Unicast"
   ],
   peer type: "external",
   local asn: 54321,
   configured families: [
      "inet-vpn"
   ],
   event info: {
      last event at: 1394778927107880,
      last event: "fsm::EvStart"
   },
   local id: 181196816,
   send state: "not advertising",
   peer-address: "10.204.216.253",
   peer-id:181197053,
   hold tine: 90,
   peer asn: 12345
 }
}
```

Within your Contrail cluster, a BGP peer is not advertising routes as expected. After issuing the curl Error! Hyperlink reference not valid. ip address>:8081/analytics/uves/bgp-peers command, you receive the output show in the exhibit.

### **Options:**

A- an incorrect local ID

B- an incorrect peer type

C- an incorrect IP address

**D-** an incorrect family

#### Answer:

D

# **Question 3**

**Question Type:** MultipleChoice

Which three elements should be used in a greenfield fabric deployment? (Choose three.)

### **Options:**

A- multi-area OSPF

B-BGP

C- ZTP

D- existing IP fabric

E- LLDP

Answer:	
B, C, D	

## **Question 4**

**Question Type:** MultipleChoice

You are creating a new Contrail cluster within the Contrail Command setup wizard.

In this scenario, which three parameters are required to create the cluster? (Choose three.)

### **Options:**

- A- Container Registry
- B- cluster name
- C- NTP server
- D- Default Virtual Gateway
- E- Contrail version

Answer:		
A, B, E		

**Question Type:** MultipleChoice

Which endpoint type in Contrail Security provides multidimensional segmentation such as application, tier, deployment or site parameters?

### **Options:**

A- domain

- B- virtual network
- C- tag
- D- address group

#### Answer:

С

# **Question 6**

#### **Question Type:** MultipleChoice

You are deploying Contrail in your existing network and you must ensure that it manages your current IP fabric underlay.

Which two routing protocols are supported in this scenario? (Choose two.)

Options:		
A- EBGP		
B- RIP		

C- OSPF

D- EIGRP

#### Answer:

A, C

# **Question 7**

**Question Type:** MultipleChoice

Which two OpenStack components are optional services? (Choose two.)

<b>Options:</b>			
A- Nova			
B- Heat			
C- Glance			
D- Magnum			

**Question Type:** MultipleChoice

Which two statements are true about AppFormix? (Choose two.)

### **Options:**

A- The analytics component of AppFormix takes action on notifications and SLA violations.

B- AppFormix tracks SLAs and generates alerts in the event of an SLA violation.

C- AppFoxmix analyzes resource usage trends to predict capacity needs.

**D-** AppFormix does not require an agent on compute nodes.

### Answer:

B, C

### **Question Type:** MultipleChoice

What are three examples of hypervisors? (Choose three.)

Options:			
A- VMware ESXi			
B- Juniper vSRX			
C- KVM			
D- OpenStack Nova			
E- Microsoft Hyper-V			

### Answer:

A, C, E

### **To Get Premium Files for JN0-412 Visit**

https://www.p2pexams.com/products/jn0-412

For More Free Questions Visit

https://www.p2pexams.com/juniper/pdf/jn0-412

